



Product guide

2020/2021 EN

R82[®] 
by Etac



MIX
Paper from
responsible sources
FSC® C129413

R82[®]

Etac - Creating Possibilities

Etac is a world-leading developer and provider of ergonomic assistive devices and patient handling equipment. Through our specialized product brands, we offer state-of-the-art products for a wide range of daily needs and care settings, for all stages of life. Whether the solution is for a child or an elderly person, our aim is to promote the individual's abilities and improve the caregiver's working conditions – through quality, functionality and design.

R82[®]

R82 by Etac - offers innovative paediatric solutions adapted to the needs of the individual and the caregiver, providing support and promoting participation in daily activities.

 **Convaaid**

Convaaid by Etac - offers adaptive paediatric seating and transportation assistive devices promoting and easing participation in daily activities.



SEATING

R82 Kudu	7
R82 Cougar	13
R82 x:panda	19
R82 Panda Futura	25
R82 Panda Futura 5	31
R82 Scallop	37
R82 Wombat Solo	41
R82 Wombat Living	47
R82 Cricket	53
R82 Stingray	59
Convoid Cruiser & Cruiser Scout	65
Convoid EZ Rider	71
Convoid Rodeo	77
R82 High-low Frame	83
R82 High-low:x Frame	87
R82 Multi Frame	93
R82 Multi Frame:x	99
R82 Stingray Frame	105
R82 Combi Frame:x	109
R82 Strong Base	115



STANDING

R82 Meerkat	121
R82 Rabbit Up	127
R82 Toucan	133
R82 Caribou	139
R82 Gazelle PS	145



WALKING

R82 Mustang	151
R82 Crocodile	157
R82 Pony	163



TOILET & BATH

R82 Flamingo High-low	171
R82 Flamingo	177
R82 Heron	183
R82 Swan	189
R82 Manatee	195
R82 Orca R82 Penguin	201



ACCESSORIES

Head Supports	209
Side Supports	213
Vests and belts	217
Trays	221



Hi and welcome
to the R82 catalogue
for 2020/2021. I hope
you like it...



Seating, overview

Seating systems

(Wheelchairs, working chairs, floor seats)

		Kudu	Cougar	Scallop	Wombat Living	Wombat Solo
Target users	Max. load	60 kg	120 kg	70 kg	70 kg	70 kg
	Max. load for transportation	57 kg	75 kg	-	-	-
	User height	850–1700 mm	1400–1850 mm	600–1400 mm	750–1900 mm	750–1900 mm
Features	Seat plane angle adjustment	•	•		•	•
	Safe transportation in vehicles	•	•			
	Back recline	•	•		•	•
	Backrest angle	•	•		•	•
	Easy Fold - Light weight			•		
Environment	Indoor	•	•	•	•	•
	Outdoor	•	•	•		

Seating systems

(Buggies)

		Cricket	Stingray	Cruiser	EZ Rider	Rodeo
Target users	Max. load	50 kg	40 kg	114 kg	114 kg	77 kg
	Max. load for transportation	43 kg	40 kg	77 kg	77 kg	63 kg
	User height	850–1400 mm	750–1500 mm	600–1800 mm	1000–1800 mm	700–1700 mm
Features	Safe transportation in vehicles	•	•	•	•	•
	Back recline	•	•			•
	Seat plane angle adjustment		•			•
	Easy Fold - Light weight	•		•	•	•
	180° turnable seat		•			
Environment	Indoor	•	•	•	•	•
	Outdoor	•	•	•	•	•

Seats

			x:panda	Panda Futura	Panda Futura 5
Target users	Max. load		80 kg	60 kg	85 kg
	Max. load for transportation		75 kg	57 kg	85 kg
	User height		650–1800 mm	1000–1400 mm	1700 mm
Features	Dynamic back		•		
	Growth (width, depth, back height)		•		
	Back recline (backrest angle)		–5°–30°	•*	–5°–30°
	Fits on a variety of frames		•	•	•
Environment	Indoor		•	•	•
	Outdoor		•	•	•

Frames

		High-low & High-low:x	Multi Frame	Multi Frame:x	Stingray Frame	Combi Frame:x	Strong Base
Target users	Max. load	60–100 kg*	100 kg	100 kg	40 kg	100 kg	120 kg
	Max. load for transportation	60 kg*	100 kg	100 kg	40 kg	100 kg	-
Features	Height adjustment (manual, gas, hydraulic, spindle or power)	•					•
	Seat plane angle adjustment	•	•	•	•	•	•
	180° turnable seat unit				•		
Environment	Indoor	•	•	•	•	•	•
	Outdoor	•*	•	•	•	•	
	Overall width	560–620 mm	590–690 mm	660 mm	590 mm	580–730 mm	600 mm

*Depends on model



Seating

Comfortable seating systems giving the greatest possible support and mobility!



Seating

R82[®]



User height
850–1700 mm



Max. load
60 kg



Environment
Indoor & outdoor

Kudu[®]

The Kudu is a practical wheelchair which combines form and function to provide the right fit and support for a comfortable posture.

The Kudu is available in 4 sizes.

Highlights about Kudu



Growth adaptable

The base of the seat and the backrest are equipped with a mechanism that makes it possible to adjust height and depth as well as mount fix-locks for vests and belts.



Accessories are easily added and removed as needed for maximum user comfort



Centre of gravity

To adapt to different needs, the seat has a centre of gravity making it possible to adjust the rear wheels in 3 different positions.



Safe transportation

The Kudu complies with ISO 7171-19 for transporting children up to 57 kg in motor vehicles.



Standard

From -3 to 45° adjustable tilt, -5 to -30 back recline, height and angle adjustable foot supports, seat depth growth of 100 mm, poke protectors.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Cushions

- Kudu cushions, upcharge
- No cushions
- Cushions with contour, upcharge

For the hands

- Push brace, angle adjustable
- Push brace, height and angle adjustable
- Push handles, height adjustables

Foot support

- Foot plate, centrally mounted
- Parted foot rests (available for size 2+3+4)

Rear wheels

- 12½"/16" solid or air
- 20"/22"/24" solid or air with quick release

Front wheels

- 6" solid front wheels
- 7" solid or air front wheels

Brakes

- Wheel brakes (available for 12½", 20", 22" and 24")
- Drum brakes

Anti-tips & spoke protectors

- Anti-tips
- Spoke protectors

Frame colour



Anthracite
grey



White



Red
















Kudu with Push brace, angle adjustable



Kudu with Push handles, height adjustable

Measurements

		1	2	3	4
	Effective seat width	260 mm	300 mm	340 mm	380 mm
	Effective seat depth	220–320 mm	270–370 mm	310–410 mm	350–450 mm
	Backrest height	370–460 mm	400–520 mm	430–580 mm	430–630 mm
	Seat surface height at front edge	480 mm	480 mm	480 mm	480 mm
	Max. load	40 kg	50 kg	60 kg	60 kg
	Max. load at transportation	40 kg	50 kg	57 kg	57 kg
	Backrest angle	–5° – 30°	–5° – 30°	–5° – 30°	–5° – 30°
	Seat plane angle	–3° – 45°	–3° – 45°	–3° – 45°	–3° – 45°
	Length	690 mm	690 mm	740 mm	740 mm
	Overall width	590 mm	630 mm	670 mm	710 mm
	Folded length	825 mm	825 mm	875 mm	875 mm
	Folded height	625 mm	625 mm	625 mm	625 mm
	Total mass	19 kg	21 kg	23 kg	25 kg

The Kudu is measured with the following wheel combination, placed in the standard wheel position: 22" rear wheel and 6" front wheel. Further measurements at our website

Nice to know

The many different configuration possibilities and accessories for the Kudu makes it ideal for situations where complex and individualized seating solutions is needed, also when reusing of the product is desirable. Examples of individualized solutions are, placing the centrally mounted foot plate underneath the seat or using the angle adjustable armrest and tray, allowing the tray to be horizontal when the seat plate is angled.

The focus of the seating solution will often be comfort, however when configured with large driving wheel and cambering it is possible to promote self-propelling of the wheelchair over short distances to support user independence.



Accessories



Head support

99xxxx-xx

*see accessories category



Back extension cushion

95743-xxx



Fixed side supports

95401-xx



Swing-away side supports

8310xx-xxx

*see accessories category



Back wedges

E6301x-60



Arm rests/Tray

95712-x/9576351



Hip supports

95713-x0



Pommel

95430-x0



Vest

89113-x




Mud guards

9520xx



Transport fittings

95900-16



Adductors

95429-10

For more accessories - visit our website



Vent tray
95281-10



Pommel
95430-x



Upper arm supports
8910407-x0



Angle adjustable arm rests, incl. side plates
95712-x0



Canopy
87401x0
(Requires 9589100)



Thermo bag
87460-xxx




Rain cape with hood
87465-xxx





Seating

R82[®]



User height
1400–1850 mm



Max. load
120 kg



Environment
Indoor & outdoor

Cougar®

The Cougar is a comfort wheelchair with many adjustment possibilities and wide range of accessories.

The Cougar is available in 4 sizes for use by children and teenagers.

Highlights about Cougar



Back recline

The adjustment of the back tilt occurs in the anatomical pivot point of the hip and therefore with minimal shear.



Tilt in space

The Cougar has self-centering centre of gravity making it a stable comfortable chair. The tilt in space function gives the option of changing the users position and reduces pressure in the seating area.



Height adjustable

The seat to floor height is adjustable. Adjust the height on the back of the chair and the angle of the front wheels will remain in the correct position.



Accessories

Easily interchangeable for user comfort.



Standard

Patented change of seat to floor height, prepared for other manufactures seats and backs, easy change of seat depth, selfcentring centre of gravity, patented recline to ensures a minimum of shear, anti-tip safety.

Cushion colour



Black

Frame colour



Silver

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Rear wheels

- 12½" solid or air
- 20" solid or air
- 22" solid or air
- 24" solid or air

Brakes

- Wheel brake (not available for 12½")
- Drum brake

Front wheels

- 6" solid or air
- 8" solid or air (not in combination with 20" rear wheels)

Leg rests

- No leg rests
- Parted leg rests (length adjustable) with gas spring
- Parted leg rests, fixed

Calf support

- No calf support
- With calf support

Seat

- Wooden seat, no cushion
- Seat cushion, contoured
- No seat cushion and no wooden seat board

Back rest

- Strap back without cushion
- Strap back with thin cushion
- Strap back with contoured cushion
- Wooden back without cushion
- Wooden back with thin cushion
- Wooden back with contoured cushion

Back recline

- No recline
- Recline

Recline

- Operated from push brace or on side back
- User operated back adjustment
- User operated

















Standard Cougar mounted with drum brake and wheel brakes.



Standard Cougar mounted with drum brake, wheel brakes and cushions.

Measurements

		1	2	3	4
	Effective seat width	350 mm	400 mm	450 mm	500 mm
	Effective seat depth	350 – 450 mm	370 – 470 mm	430 – 530 mm	490 – 590 mm
	Backrest height	450 mm	500 mm	600 mm	600 mm
	Seat surface height at front edge	460 – 530 mm	460 – 530 mm	460 – 530 mm	460 – 530 mm
	Max. load	75 kg	75 kg	100 kg	120 kg
	Max. load at transportation	75 kg	75 kg	100 kg	120 kg
	Backrest angle	35°	35°	35°	35°
	Seat plane angle	45°	45°	45°	45°
	Overall length	780 mm	780 mm	830 mm	830 mm
	Overall width	570 mm	620 mm	670 mm	720 mm
	Folded length	780 mm	780 mm	830 mm	830 mm
	Folded width	570 mm	620 mm	670 mm	720 mm
	Folded height	960 mm	990 mm	1080 mm	1100 mm
	Total mass	25 kg	26 kg	27 kg	28 kg

The Cougar is measured with cushion and the following wheel combination, placed in the standard wheel position: 22" rear wheel and 6" front wheel.
The Cougar is measured with the seat in horizontal and back in vertical position. We supply various types of leg rests and cushions, which is why the weight is listed without. Different settings may result in another set of measurements. Further measurements at our website

Nice to know

Cougar can be fitted with a wooden board back or a strap back. Both backs are prepared for velcro fit cushion systems. Furthermore, the Cougar is often used for other seats and backs, such as moulded seats.

The stepless adjustment of the vertical position of the side supports allows a precise position of the supports in relation to the need of the individual user.



Accessories



Head supports

99xxxx-xx

* see accessories category



Back extension, fixed

970055-x13



Back extension

970050-x13



Pommel

970030-x



Swing away sidesupport

83xxx-xxx

* see accessories category



Arm rest/Extension

970600-x/970630-1



Tray

970240-x

* see accessories category



Hip-belt

89661-4P



Hip support

970751-x



**Leg rest fixed with
calf support**

970650-x



Spoke protector


97092x




Mudguards

970560

For more accessories - visit our website



Transport fittings
970900



Vent tray
970815



Arm rest with side plates
970600-x



Leg rest with gas strut
970500-x

Without side plates
970601-x




Bar for foot support
897526x



Recline add-on
97094x



Foot plate model Wombat
95145-2, 95145-3, 95145-4



Parted foot supports
89146-x

Bar for parted foot support
897528x (not shown)




Thermo bag
87460-xxx



Rain cape with hood
87465-xxx

Freedom of configuration

The Cougar comes with different types of leg rests and foot plates to suit any user's needs.





Seating

R82[®]



User height
650–1800 mm



Max. load
80 kg



Environment
Indoor & outdoor

x:panda[®]

x:panda is a multi-adjustable seating system that can be configured to meet a range of postural requirements and to accommodate growth. Its dynamic back allows a child to extend and push back against relatively light resistance. It is available in 4 sizes.

Highlights about x:panda



The x:panda has a unique dynamic back that absorbs the energy of extension



Multi-adjustable

Overlap in sizing means that the starting option always offers the maximum growth potential coupled with individual leg positioning to offer an improved base of support and additional support for maintaining the correct degree of abduction/adduction if required.



Growth

Individual growth in width, depth and back height extends the life of the seat and accommodates the greatest range of sizes for any chair on the market.



Back recline

The patented articulation of the back rest has been designed to eliminate shear and sliding during extension. This means that support remains uniquely in position during movement improving functionality and comfort for the user.



Standard

Hip supports - front and back with cover, ad-/abduction support with cover, spacers for seat extension, dynamic backrest, lumbar support (x:panda size 4 only), fix lock fittings for mounting of various belts and vests, lockable dynamic gas spring.

Options

Sizes	Seat width	Back cushion	Seat cushion	Seat cushion without abduction	Gas spring
<ul style="list-style-type: none"> Size 1 Size 2 Size 3 Size 4 	<ul style="list-style-type: none"> Small Medium Large 	<ul style="list-style-type: none"> Small Medium Large 	<ul style="list-style-type: none"> Small Medium Large 	<ul style="list-style-type: none"> Small Medium Large 	<ul style="list-style-type: none"> Non-dynamic gas spring Lockable dynamic gas spring (standard)

It is possible to combine the different seat and back sizes: Size 1 seat with size 2 back, Size 2 seat with size 3 back, Size 3 seat with size 4 back, Size 2 seat with size 1 back, Size 3 seat with size 2 back, Size 4 seat with size 3 back.

Cushion colour back and seat



Black



Pink*



Red



Blue



Lime green

*Not available for size 4

Cushion colour seat without abduction



Black











x:panda with abduction support



x:panda with abduction support and red cushions

Measurements

		1	2	3	4
	Effective seat width	160, 200, 240 mm	200, 240, 280 mm	260, 310, 360 mm	340, 400, 460 mm
	Effective seat depth	160–260 mm	220–330 mm	260–390 mm	380–530 mm
	Backrest height	270–370 mm	320–420 mm	350–470 mm	500–710 mm
	Max. load	30 kg	30 kg	60 kg	80 kg
	Max. load at transportation	30 kg	30 kg	60 kg	75 kg
	Backrest angle	–5° – 30°	–5° – 30°	–5° – 30°	–5° – 30°
	Overall width*	310, 350, 390 mm	380, 420, 460 mm	470, 520, 570 mm	590, 650, 710 mm
	Total mass	6,5 kg	8,5 kg	11 kg	13 kg

*Measurements taken with both legs in max abduction. Further measurements at our website

Nice to know

The back height, seat width and depth adjustments, different accessories, the 16 pre-mounted fix locks and our range of frames, allows you to configure complex and individualized seating solutions for a wide range of children.

The dynamic back has been documented to be associated with a better postural control and less involuntary arm movements during the extensor thrusts compared to a rigid seating system (Cimolin 2009).



Accessories



Back rest extension
8910655-x60



Head supports
99xxxxx-xx
*see accessories category



Swing-away side supports
839xx-xx
*see accessories category



Fixed side supports
8910301-x, 8910301-xP



Upper arm supports
8910407-x0



Overarm supports
8910407-x



Vest and belts
89113-x



Non-dynamic gas spring
891100x



Fixed rod
891150x



Quick locks
8910702-x0



Back width extensions
8910409-45
For x:panda size 4



Cover plate
8910406-4
For x:panda size 4


For more accessories - visit our website



Foam back plate
8910406-x



Lumbar support
8910407



Hip supports (only for size 4)
8910404-4x



**Armrest/Daily adjustment kit/
Arm rest cover**
891061x-x/8910615-11/891061x-20




Extra padding
8910404-PADx



Armrest for tray
8910730



Grip handle for tray
8910750



Tray/Toy bar
891072x-x/8910740



Pommel
8910408-x



Seat wedges
8910400-x
8910400-xx



**Girth for seat cushion
without abduction**
891925x



Canopy
87401x0
Requires 9589100



Seating

R82[®]



User height
1000–1400 mm



Max. load
80 kg



Environment
Indoor & outdoor

Panda Futura[®]

The Panda Futura Standard seat is primarily for children who need support around the arms and shoulders. This seat is for active children who need more freedom of movement. Panda Futura is available in 5 sizes.

Highlights about Panda Futura



A modular seating system with comfortable, six part cushion set



Fits on a variety of frames

The Panda Futura seat can be mounted on many different frames. Furthermore, the seat on a indoor frame is easy to dismount and place onto an outdoor frame.



Back recline

The back can be adjusted independently of the seat. The pivotal point of recline is anatomically correct, i.e. in line with the hip joint.



Accessories are easily interchangeable for user comfort



Standard

Back angling (recline), tilt in space, back and seat cushions.

Options, Panda Futura Active

Sizes

- Size 2
- Size 2 ½
- Size 3
- Size 4

Cushions

- Narrow
- Wide

Options, Panda Futura Standard

Sizes

- Size 1
- Size 2
- Size 2 ½
- Size 3
- Size 4

Cushions

- Narrow
- Wide

Cushion colour



Blue



Red

Shell colour



Black
















Panda Futura Standard



Panda Futura Active

Measurements

Panda Active		2	2½	3	4
	Effective seat width	220 mm	250 mm	290 mm	320 mm
	Effective seat depth	240 mm	280 mm	310 mm	360 mm
	Backrest height	350 mm	380 mm	400 mm	450 mm
	Backrest angle	-4° – 27°	-10° – 20°	-9° – 27°	-6° – 17°
	Max. load	30 kg	50 kg	50 kg	60 kg
	Total mass	5,2 kg	5,6 kg	6,2 kg	7,5 kg
Further measurements at our website					

Panda Standard		1	2	2½	3	4
	Effective seat width	220 mm	220 mm	250 mm	290 mm	320 mm
	Effective seat depth	220 mm	240 mm	280 mm	310 mm	360 mm
	Backrest height	290 mm	390 mm	410 mm	440 mm	535 mm
	Backrest angle	-3° - 28°	-15° - 32°	-10° - 35°	-5° - 36°	-5° - 30°
	Max. load	30 kg	30 kg	50 kg	50 kg	60 kg
	Max. load at transportation	-	30 kg	50 kg	50 kg	57 kg
	Total mass	5,7 kg	5,7 kg	6,2 kg	7,3 kg	8,7 kg
Further measurements at our website						

Nice to know

The design of the seat and accessories ensure that the seat is easy to use and clean. The two versions; the standard and active ensure the possibility to customize the product to the activity level of the individual user.

The Panda Futura seat is popular in settings, where reuse, financially viable and less complex seating systems are warranted.




Accessories



Head supports

99xxxx-xx

*see accessories category



Back extension

89655-xxx



Back extension, curved

89658-xxx



Wedge cushions

89760-x



Swing-away side supports


83xxx-xxx

*see accessories category



Arm rest

8961x



Toy bar

89200




Pommel

89130-xxx



Seat extension, curved

89742-xxx



Activity centre

89250



Push brace

8997x



Push handles

89545 Panda Futura Standard
89548 Panda Futura Active

For more accessories - visit our website



Tray, transparent
89230-x
*see accessories category





Seating

R82[®]



User height
1700 mm



Max. load
85 kg



Environment
Indoor & outdoor

Panda Futura 5[®]

The Panda Futura size 5 is a comfortable supportive seat for larger children and teenagers. The seat is available in two versions; Standard and Active, which provides the required comfort, support and freedom of movement.

Highlights about Panda Futura 5



A range of accessories can be added



Easy change - active to standard

Mount separate sideplates and cushions and the seat is easily transformed into the standard model. Sideplates and side cushions are accessories.



Comfortable cushions



Angle adjustable back

Activate the handle on the back to carry out a smooth and stepless angle adjustment of the back.



Standard

Available as Standard for more comfort and Active for more freedom of movement in the trunk. Angle adjustable back from -5° to 30°.

Options

Sizes

- One size (Size 5)

Cover



Gemma



Mesh












Panda Futura 5, Standard



Panda Futura 5, Active

Measurements

		Active	Standard
	Effective seat width	350 mm	350 mm
	Effective seat depth	430 mm	430 mm
	Backrest height	590 mm	590 mm
	Backrest angle	-5° - 30°	-5° - 30°
	Length	560 mm	560 mm
	Overall width	560 mm	560 mm
	Max. load	85 kg	85 kg
	Max. load at transportation	85 kg	85 kg
	Total mass	15 kg	15 kg

Further measurements at our website

Nice to know

Panda Futura 5 is our seat for the largest users. It comes in two versions (standard and active) with a max. load of 85 kg and a user height of 170 cm, which makes the Panda Futura 5 suitable for most youngsters with cerebral palsy, who need adaptive seating. According to the clinical growth charts for children with cerebral palsy, less than 10% of the children and youngsters weigh more than 85 kg (Brooks 2011).



Accessories



Head support

99xxxx-xx

*see accessories category




Back extension

89658-xxx



Tray

8910725-5



Back sides

89811-5xx




Vest

85430-x




Seat extension

89642-xxx



Fixed side support

8910401-4



Swing-away side support

83xxx-xxx

*see accessories category



Arm rest

89619-x




Pommel

89930-5



For more accessories - visit our website

The pivotal point of recline is anatomically correct, being in line with the hip joint. The back angles from -5° to 30°





Seating

R82



User height
600–1400 mm



Max. load
70 kg




Environment
Indoor & outdoor

Scallop[®]

The Scallop is designed to aid floor sitting and to add extra support whilst sitting on a chair. Used by infants, children, teenagers and adults with mild to moderate disabilities as well as those without disabilities. It comes in four sizes.

Highlights about Scallop



Removable cushion

The Scallop cushions come in two reversible colours and can be easily removed from the shells and machine-washed at 60°.



Simple and flexible



Portable and lightweight

Weighing less than 2kg, the Scallop is easy to travel with. You can carry the product using the two handles provided.



Versatile

The Scallop is not only used for long sitting. It can also be attached to a wide variety of chairs to add extra support while sitting around a table to enable participation in everyday activities.



Standard


Carry straps, seat pit, 3-point belt for size 1 and 2, 2-point belt for size 3 or 4.

Options


Sizes

- Size 1
- Size 2
- Size 3
- Size 4


Cushion colours



Red/Blue reversible cushion



Grey/Green reversible cushion







Standard Scallop size 1 or 2. Available in red/blue or grey/green reversible cushion



Standard Scallop size 3 or 4. Available in red/blue or grey/green reversible cushion

Measurements

		1	2	3	4
	Hip width	150–210 mm	210–240 mm	240–270 mm	270–380 mm
	Back height	330–380 mm	380–420 mm	420–470 mm	470 + mm
	Max. load	15 kg	22 kg	29 kg	70 kg
	Total mass	0,60 kg	0,78 kg	1kg	1,44 kg

Further measurements at our website

Nice to know

Scallop provides the child with a sense of safety and security through tactile input of the seat on the body. It can be used on the floor or strapped to a chair to enhance social interaction and communication with peers.





Seating

R82[®]



User height
750–1900 mm



Max. load
70 kg



Environment
Indoor only

Wombat Solo[®]

Wombat Solo is an elegant simple activity chair suitable for both young children and teenagers. It has built-in growth making it a chair for life. The modern design, discreet frame and colours make it suitable for use in any indoor environment.

Highlights about Wombat Solo



90° degree swivel

The swivel function can be operated by the user by simply lifting the handle underneath the seat. Making transfers in and out of the seat simpler.



Optimum independence

The Wombat Solo helps you reach optimum independence by enabling the user to take control over their seating position by activating the handles underneath the seat.



Low entry height

Wombat Solo offers a low entry point of 37cm. This combined with the anterior tilt function makes standing transfer in and out easy.



Open Frame

Not only is the Wombat Solo frame elegant and discreet, but it is also open to ease transfer in and out of the seat.



Standard

User operated height adjustment, short or long back, adjustable back height, adjustable seat depth, 75 mm castors.

Options

Sizes

- 1
- 2
- 3

Cushions

- Long back
- Short back

Castors

- 75 mm with brake
- 100 mm with brake
- Central brake for 100 mm castors

Height and tilt adjustment

- Lever under seat
- Pedal on the frame
- Lever on push brace

Swivel

- 90° swivel
- Lever under seat
- Lever on push brace
- No swivel

Footrest

- No footrest
- Mounted under seat
- Mounted on frame

Frame colour



Anthracite
grey

Cushion colour



Petroleum



Grey



Red














Wombat Solo, standard



Wombat Solo, with cushions

Measurements

		1	2	3
	Effective seat width	300 mm	370 mm	420 mm
	Effective seat depth	180–310 mm	250–380 mm	320–500 mm
	Backrest height	280–340 mm	310–380 mm	390–500 mm
	Backrest height (Long Back)	360–430 mm	395–460 mm	460–550 mm
	Seat surface height at front edge with cushions*	375–495 mm	375–495 mm	440–556 mm
	Max. load	45 kg	45 kg	70 kg
	Backrest angle	0°–28°	0°–28°	0°–28°
	Seat plane angle	–10°–15°	–10°–15°	–10°–10°
	Length	645 mm	645 mm	645 mm
	Overall width	560 mm	560 mm	560 mm
	Total mass	12,5 kg	13 kg	16 kg

*Measured with 75 mm castors. Further measurements at our website

Nice to know

The Wombat Solo has been designed with simplicity in mind to enable it to fit into many environments allowing the users to feel fully included.

Height, tilt and swivel adjustment handles under the seat enable the user to take control of their seating position and to reach optimum independence.

The tilt and height adjustment can also be operated by the caregiver using a foot pedal on the frame or a hand lever on the push brace. Together with the large range of accessories it allows you to configure a product solution for children with more extensive need for support.



Accessories



Head supports
9913092-83



Back rest and seat cushion
Back rest cushion: 95503x-2xx
Seat cushion: 95502x-2xx



Back rest and seat cushion contoured
Back rest cushion: 95503x-238
Seat cushion: 95502x-238



Incontinence seat cover
95562x-282



Lumbar wedge
955030-1, 955030-2, 955030-3



Side supports, fixed
95121



Side supports, swing-away
83xxx-xxx



Pelvis support without sides
95140-61, 95140-63



Pelvis support with sides
95140-64, 95140-65, 95140-66



Lower back extension
95140-60



Hip supports
95110-1, 95111-1



Arm rests
95112-1, 95113-1, 95114, 95115



Swing-away arm rest
95112-1S, 95113-1S, 95112-SW



Pommel
95130-x



Knee abduction pommel
95230-10



Tray, smoke coloured
95125, 95126



Adjustable push brace
95147



Helper's handles
95145, 95146



Adjustable push brace, seat mounted
95148-1, 95148-3

"Feeling included is important"





Seating

R82[®]



User height
750–1900 mm



Max. load
70 kg



Environment
Indoor only

Wombat Living[®]

The Wombat Living is a cool activity chair for both toddler, pre-school children, school children, teens and youngsters. The fresh look with modern colours makes it suitable for use in any indoor environment. Available in 3 sizes.

Highlights about Wombat Living



Tilt in space

The seat unit tilts from -20° to 15° to accommodate both relaxed and active sitting postures.



Angle adjustable push brace



Small details - big difference

The cushions are made from thick comfortable foam with breathable covers. Small details like shaped cushion that protect the user's knees and extra durable edges, make a big difference in everyday use.



Built-in growth

Wombat Living offers stepless adjustment for growth. Move the backrest forward or backward and adjust the hip supports to fit any user size. The hip supports can also be angled to support the user's hips and thighs.



Standard

Tilt in space, back recline and prone angle, adjustable seat depth, adjustable back height, height and angle adjustable foot support.

Options

Sizes

- Size 1
- Size 2
- Size 3

Back

- Long back
- Short back

Castors

- 75 mm with brake
- 100 mm with brake
- Central brake for 100 mm castors

Height adjustment

- Pedal on the frame
- Release handle on the push brace
- Power actuator

Seat angle adjustment

- Release handle beneath the seat
- Release handle on the push brace

Frame colour



Anthracite
grey



White

Cushion colour



Red



Petroleum



Grey



Grey
contoured














Wombat Living with power actuator



Wombat Living with release handle on push brace

Measurements

		1	2	3
	Effective seat width	300 mm	370 mm	420 mm
	Effective seat depth	180–310 mm	250–380 mm	320–500 mm
	Backrest height	280–340 mm	310–380 mm	390–475 mm
	Backrest height (Long Back)	360–430 mm	395–460 mm	460–550 mm
	Seat surface height at front edge*	360–650 mm	360–650 mm	390–670 mm
	Max. user mass	45 kg	45 kg	70 kg
	Backrest angle	0°–28°	0°–28°	0°–33°
	Seat plane angle	–15°–20°	–15°–20°	–10°–22°
	Length	600 mm	600 mm	720 mm
	Overall width	550 mm	550 mm	610 mm
	Mass device**	15,5 kg	15,5 kg	22 kg

*Measured with 75 mm castors. **Measured with gas spring. Further measurements at our website

Nice to know

Use the Wombat Living for daily activities such as reading and learning at school, having fun with friends and when helping with daily chores at home.

The height adjustable frame and the anterior tilt function, ease standing transfer into the chair and ensure that unnecessary and repetitive lifting is avoided.

Although the Wombat Living at first glance looks simple and for children with mild to moderate impairments, it is possible to use the large range of accessories to adapt the chair to users with more comprehensive needs for support for the feet, knees, thighs, pelvis, trunk and head.



Accessories



Head supports
9913092-83



Lumbar wedge
955030-x



Side supports, fixed
95121



Hip supports
95110-1, 95111-1
Covers for hip supports
95110-60, 95111-60



Arm rests
95112-1, 95113-1, 95114, 95115

Swing-away arm rest
95112-1S, 95113-1S, 95112-SW



Tray, smoke- coloured
95125, 95126



Hip-belt
89661-4P



Pommel
95130-x



Knee abduction pommel
95230-10



Power kit
95550, 95550-3



Anti-tip device
95953



Incontinence seat cover
95562x-282

For more accessories - visit our website



Lower back extension
95140-60



Pelvis support without sides
95140-xx



Pelvis support with sides
95140-xx



Back rest and seat cushion contoured
Back rest cushion: 95503x-238
Seat cushion: 95502x-238



Adjustable push brace
95147




Helper's handles
95145



Adjustable push brace, seat mounted
95148-1, 95148-3



Back rest and seat cushion
Back rest cushion: 95503x-2xx
Seat cushion:
95502x-2xx





Seating

R82[®]



User height
850–1400 mm



Max. load
50 kg



Environment
Indoor & outdoor

Cricket[®]

The Cricket is a lightweight foldable buggy designed to suit you and your child's needs and lifestyle. This user-friendly buggy comes in two sizes and it adapts to the child's growth in several areas maximizing the number of years it can be used.

Highlights about Cricket



Back recline

For extra comfort, Cricket has a two-position back recline option for the user to change from a sitting position to a relaxed position. The backrest angle can be adjusted from 110° to 125°.



Growth adaptable



Easy Fold - Light weight

This lightweight buggy is extremely compact when folded and requires minimum storage space.



Height & angle adjustable foot support

The Cricket comes with a unique foot support that can be height and angle adjusted to support the individual needs.



Standard

Back recline, adjustable seat depth, height and angle adjustable foot support, angle adjustable push brace, front wheel with swivel, rear wheel with parking brake, compact and foldable.

Options

Sizes

- 1
- 2

Cushion colour



Blue



Red



Green



Pink



Grey



Yellow






Orange



Cricket standard

Measurements

		1	2
	Effective seat width	340 mm	395 mm
	Effective seat depth	210–310 mm	310–430 mm
	Backrest height	500 mm	570 mm
	Seat surface height at front edge	500–530 mm	540–580 mm
	Max. load	35 kg	50 kg
	Max. load at transportation	27 kg	43 kg
	Backrest angle	110–125°	110–125°
	Seat plane angle	20°	20°
	Length	750 mm	750 mm
	Overall width	525 mm	575 mm
	Folded length	760 mm	760 mm
	Folded width	355 mm	355 mm
	Folded height	485 mm	485 mm
	Total mass	12,4 kg	13,4 kg

Further measurements at our website

Nice to know

Cricket's lightweight frame is one of the most compact on the market. The frame is designed to support and ensure stability for the buggy.

The height of the push brace on the Cricket can easily be changed using the angle adjustment and the 360° turnable front wheels ensure a smooth ride and makes it easy to steer. The puncture-proof wheels provide exceptional performance. Explore the experience of the smoothest ride - from city to tougher trails, from sun to rain.

Furthermore, the Cricket is approved for transportation and complies with ISO 7176-19, for safe transportation in vehicles.



Accessories



Back rest height extension
87043160-1, 87043160-2



Head rest cushion
87043150



Sculpted head rest cushion
87043151



Folding top
8704317-x, 8704327-x



Arm rests
87043120-1, 87043120-2



Tray
87043180-1, 87043180-2



Grip bar in arm rests
87043181-1, 87043181-2




Grip bar in frame
87043182-1, 87043182-2



Heel straps
87043185



Rucksack
87043183-1



Shopping net
87043184-10, 87043184-20



Calf support strap
87043190-1, 87043190-2

For more accessories - visit our website



Wedges for shaping and width reduction
87043130-x, 87043140-x



Wedges for shaping seat and back
87043140-x



Transport fittings
87043188



Directional locking mechanism, front wheels
87043187



Additional locking mechanism for foot plate
87043186



Rain cover
87467-210, 87467-310



Neoprene vest
89113-x




Y-hip strap upholstered
85427-x



Belt harness neoprene
89114-x



Torso belt
85840-x





Seating

R82[®]



User height
750–1500 mm



Max. load
40 kg



Environment
Indoor & outdoor

Stingray[®]

Stingray is a super stylish buggy with tool free adjustment of postural support and unique swivel action for forward/rearward facing options.

The Stingray is available in 2 sizes.

Highlights about Stingray



Foldable

The Stingray is folded quickly and fits into almost any car. Fold the seat and frame units separately or altogether and pack it into your car - soon you will be on your way.



180° turnable seat unit



Tilt in space and back recline

Perfect seating position due to adjustable seat tilt and back angle adjustment. The seat unit tilts 45° and the back reclines down, allowing your child to rest while out and about.



Safe transportation in vehicles

The Stingray complies with ISO 7176-19 for safe transportation in motor vehicles. The Stingray is approved for transport in vehicles of a user weight of up to 40 kgs.



Standard

Tilt in space, back recline, adjustable seat depth, adjustable back height, height and angle adjustable foot support, turnable seat, frame one size.

Options

Sizes

- Size 1
- Size 2

Front wheels

- 7" solid or air, with swivel and directional stabilizer
- 12" solid or air, no swivel

Rear wheels

- 12" solid or air, no swivel

Foot brake

- Individual
- Central

Hand brake

- Hand brakes
- No hand brakes

Foot rest

- Long bar
- Short bar

Cushion colours



Blue



Red



Green



Pink



Grey



Yellow



Orange

















Standard Stingray with 12" no swivel front wheels



Standard Stingray with 7" turnable front wheels, with directional stabilizer

Measurements

		1	2
	Effective seat width	300 mm	350 mm
	Effective seat depth	180–300 mm	250–400 mm
	Backrest height	410–550 mm	500–650 mm
	Seat surface height at front edge**	520 mm	520 mm
	Max. load	40 kg	40 kg
	Max. load at transportation	40 kg	40 kg
	Backrest angle	170°	170°
	Seat plane angle	45°	45°
	Length*	740 mm	740 mm
	Overall width	590 mm	590 mm
	Folded length	900 mm	900 mm
	Folded width	590 mm	590 mm
	Folded height	490 mm	490 mm
	Total mass	19 kg	20 kg

*Note: The configuration of the product. **Measured to adaptorplate. Further measurements at our website

Nice to know

The big range of accessories, flexible adjustment of the foot support and hip and side supports on the Stingray, gives the opportunity of making a comfortable and supportive seating solution for the individual user.

The Stingray has supreme driving properties, fantastic suspension and with the safe and stable brakes, security always has pride of place.



Accessories



Folding top
8740110, 8740120



Head rest cushion
8740810, 8740820



Sculpted head support
872083x



Anatomic head rest
8720862, 8720863




Two-part head support
8720870



Grip handle
872040x



Hip supports
87402x0



Pommel
872050x



Tray
87200x0, 8776350



Transport fittings
8720902



Side supports
872030x



Foam back plate
877632x

Covers for knobs on side supports
8720360

For more accessories - visit our website



Hip belt
85427-x



Oxygen bottle holder
8776295



Bunting bag
874013x



Vent tray
8776290



Shopping basket
8720600



Head rest fitting
8720850



Thermo bag
87460-xxx



Backpack
87043183-x



Rain cover
872014x



Rain cape with hood
87465-xxx





Seating

Convaid



User height
600–1800 mm



Max. load
114 kg



Environment
Indoor & outdoor

Cruiser & Cruiser Scout

The Cruiser features 30° of fixed tilt for improved postural control. Seat depth adjustment and self-tensioning seating for increased sitting tolerance, the durable and convenient Cruiser is the perfect solution for an adventurous family.

Highlights about Cruiser



Customized growth capabilities

Adjustable seat depth extends chair life for a growing child.



30° fixed tilt

Increased tilt angle improves postural control through upper body positioning.



Foldable

The Cruiser is folded quickly and fits into almost any car.



Self-Tensio®

Built in self-tensioning seating system increases sitting tolerance.



Standard, Cruiser

30° fixed tilt, removable hight adjustable swing-away footplates, seat depth growth of 130 mm, cordura upholstery, Self-tension seat, 2-point positioning belt, closure Strap.

Standard, Cruiser Scout

30° fixed tilt, removable hight adjustable swing-away footplates, seat depth growth of 130 mm, heavy-duty reinforced cordura, Self-tension seat, anatomic back, flip up arm rest, 2-point positioning belt, closure Strap.

Options, Cruiser

Sizes:

- CX10
- CX12
- CX14
- CX16
- CX18

Brakes

- Foot brake
- Foot brake and attendant hand brakes (not for CX 18)

Tyres

- Solid
- Air
- Solid w/transport fitting
- Air w/transport fitting

Options, Cruiser Scout

Sizes

- CX12
- CX14
- CX16
- CX18

Tyres

- Air
- Air, w/transport fitting

Cushion colours



Royal blue



Cherry red



Panther black



Pink



Purple

Frame colour



Silver














Cruiser Scout 16"



Cruiser standard 18"

Measurements

		CX 10	CX 12	CX 14	CX 16	CX 18
	Effective seat width	255 mm	305 mm	355 mm	405 mm	455 mm
	Effective seat depth	152-299 mm	200-330 mm	254-380 mm	279-406 mm	356-533 mm
	Backrest height	530 mm	560 mm	640 mm	710 mm	640 mm
	Total mass	12 kg	12 kg	13 kg	14kg	14 kg
	Max. load regular/transit	34/30 kg	34/30 kg	45,5/45,5 kg	77/77 kg	114/77 kg
	Overall width	560 mm	600 mm	650 mm	700 mm	724 mm
	Length	1220 mm	1120 mm	1245 mm	1320 mm	1400 mm
	Overall height	940 mm	970 mm	940 mm	1020 mm	970 mm
	Folded length	1190 mm	1220 mm	1190 mm	1350 mm	1270 mm
	Folded width	380 mm	380 mm	410 mm	410 mm	380 mm
	Folded height	430 mm	430 mm	430 mm	430 mm	430 mm

Further measurements at our website

Nice to know

The Cruiser is lightweight and has an easy three dimensional fold, which mean it requires minimal storage space and is easy to take along.

The individual swing away footplates allows for standing transfer.



Accessories



Folding top with windows

CX10: C904736-xx
 CX12: C904737-xx
 CX14: C904738-xx
 CX16: C904739-xx
 CX18: C904740-xx



Rain cover

CX10-12: C904939
 CX14: C904940
 CX16-18: C905283



Headrest extension

Curved cordura
 CX10: C903332-xx
 CX12: C902863-xx
 CX14: C900484-xx
 CX16: C900138-xx
 CX18: C902619-xx



Headwings

Padded:
 CX10: C903331
 CX12: C902862
 CX14: C900681
 CX16: C900142
 CX18: C902618



Occi headwings



3-pt positioning belt

C904017
 With depth adjustment croch strap



H-harness with padded covers

C903988
 3-pt position belt required



Full support torso vest

CX10: C903330
 CX12: C902861
 CX14: C900680
 CX16: C900339
 CX18: C902616
 3 pt. position belt required



Soft lateral support

CX10: C903328
 CX12: C902859
 CX14: C900678
 CX16: C900140
 CX18: C902614



Reducer seat insert

Seat width 5 cm smaller, seat depth 2,5 cm smaller
 CX10-12: C904211
 CX14-18: C904110



Calf panel

C904580



Medial thigh support-abductor

With position/align cushion
 CX10: C903326
 CX12: C902857
 CX14: C900480
 CX16: C900137
 CX18: C902607

For more accessories - visit our website



Lateral thigh support-abductor

with position/align cushion

CX10: C903327
CX12: C902858
CX14: C900482
CX16: C900188
CX18: C902608



Angle adjustable footplates

CX10: C903445
CX12-14: C903268
CX16-18: C903269



Footplate securement strap

C903584



Foot positioners

Small (18-25 cm): C903415
Medium (20-28 cm): C903416
Large (23-30 cm): C903417



Upper extremity support surface

Clear tray


CX10: C903078
CX12: C903385
CX14: C903386
CX16: C903387
CX18: C903388



Transport fittings

(Always together with Headrest Extension)

CX10-16: C997125
CX18: C997141
Scout model:
CX12-16: C997219
CX18: C997220



Anti-tip

CX10-12: C904520
CX14-16: C904540



Under seat storage basket

CX10-12: C904046
CX14-16: C904047
CX18: C904048



Utility bag

C904531



Saddle bag

C904094



Wheelchair travel bag

C902022



Curb tipper

CX10-16: C904128
CX18: C903916
Scout: C903916



Seating

Convaid



User height
1000–1800 mm



Max. load
114 kg



Environment
Indoor & outdoor

EZ Rider

The Convaid EZ Rider is a pediatric buggy with 10° fixed tilt. It is lightweight and has compact folding. The EZ Rider has a huge range of accessories to meet the need of each individual child.

Highlights about EZ Rider



Customized growth capabilities

Adjustable seat depth extends chair life for a growing child.



10° fixed tilt

Provides upright posture to enhance functional positioning.



Upholstery & colours

Removable, washable Cordura available in various colours.



Foldable

The EZ Rider is folded quickly and fits into almost any car.



Standard

10° fixed tilt, removable height adjustable swing-away footplates, seat depth growth of 130 mm, cordura upholstery, Self-tension seat, closure strap, 2-point positioning belt.

Options

Sizes:

EZ12

EZ14

EZ16

EZ18

Tyres

Solid

Air

Solid
w/transp. fitting

Air w/transp. fitting

Cushion colours



Blue



Red



Black



Pink



Purple

Frame colour



Silver



EZ Rider Standard, size 12" - 16"



EZ Rider Standard, size 18"

Measurements

		EZ 12	EZ 14	EZ 16	EZ 18
	Effective seat width	305 mm	355 mm	405 mm	455 mm
	Effective seat depth	230–360 mm	280–410 mm	305–430 mm	370–495 mm
	Backrest height	530 mm	610 mm	660 mm	680 mm
	Total mass	11 kg	14 kg	14kg	13 kg
	Max. load regular/transit	34/30 kg	45,5/45,5 kg	77/77 kg	114/77 kg
	Overall width	546 mm	548 mm	660 mm	660 mm
	Length	915 mm	950 mm	1105 mm	1220 mm
	Overall height	965 mm	980 mm	1015 mm	950 mm
	Folded length	1130 mm	1170 mm	1220 mm	1160 mm
	Folded width	360 mm	340 mm	360 mm	370 mm
	Folded height	445 mm	460 mm	430 mm	390 mm

Further measurements at our website

Nice to know

EZ Rider is lightweight, portable and folds compactly. It is suitable for children in need of a functional upright seating position, where the focus is on allowing the child to be active and aware of the surroundings.



Accessories



Folding top with windows

EZ12: C904737-xx
EZ14: C904741-xx
EZ16: C904742-xx
EZ18: C904743-xx



Headrest cover

EZ12: C900853
EZ14: C901210
EZ16: C901205
EZ18: C901211



Rain cover

12: C904939
14: C904940
16/18: 905253



Headrest extension

Curved cordura
EZ12: C902863-xx
EZ14: C900484-xx
EZ16: C900138-xx
EZ18: C902619-xx



Headwings

Padded:
EZ12: C900849-xx
EZ14: C900682-xx
EZ16: C900683-xx
EZ18: C900684-xx
Occi: C904779



Occi headwings



H-harness with padded covers

C903988
3-pt position belt required



3-pt positioning belt

C904017
With depth adjustment croth strap



Full support torso vest

EZ12: C900848
EZ14: C900338
EZ16: C901020
EZ18: C900387



Soft lateral support

Single
EZ12: C900846
EZ14: C900327
EZ16: C901018
EZ18: C900386



Calf panel

C904580



Reducer seat insert

Seat width 5 cm smaller
Seat depth 2,5 cm smaller
EZ12: C904211
EZ14-18: C904110

For more accessories - visit our website



Medial thigh support-abductor
with position/align cushion
EZ12: C900843
EZ14: C900329
EZ16: C901024
EZ18: C900388



Lateral thigh support-abductor
with position/align cushion
EZ12: C900844
EZ14: C900330
EZ16: C901026
EZ18: C900389



Angle adjustable footplates
EZ12/14: C903268
EZ16/18: C903269



Footplate securement strap
C903584



Foot positioners
Small (18-25 cm): C903415
Medium (20-28 cm): C903416
Large (23-30 cm): C903417



**Height adjustable
flip-up armrests**
EZ12-14: C904523
EZ16-18: C904524




Upper extremity support surface
Clear tray
EZ12: C904525
EZ14: C904526
EZ16: C904527
EZ18: C904528



Upper extremity support surface
Foam tray
EZ12: C903669
EZ14-16: C903670
EZ18: C903671



Transport fittings
(Always together with Headrest Extension)
C997267



Anti-tip
EZ12-14: C900377
EZ16-18: C900378



Utility bag
C904531



Wheelchair travel bag
C902022



Seating

Convaid



User height
700–1700 mm



Max. load
77 kg



Environment
Indoor & outdoor

Rodeo

The Rodeo is a buggy with 45° tilt-in-space and back recline. This buggy provides growth options through its adjustable seat depth feature. Rodeo has a huge range of accessories to meet the need of each individual child.

Highlights about Rodeo



Adjustable tilt and back recline

Provides pressure relief and support.



Customisable growth capabilities

Adjustable seat depth extends chair life for a growing child.



Lightweight and durable

Lightweight frame combined with high Max. load - up to 77 kg.



Individual positioning

Accommodates functional or rest positions and increased sitting tolerance for maximum comfort.



Standard

5° to 45° adjustable tilt, 90° to 110° back recline, elevating legrest - one-piece, angle adjustable footplate, closure Strap.

Options

Sizes:

- RD12
- RD14
- RD16

Brake

- Foot brake
- Attendant hand brakes

Tyres

- Solid
- Air
- Solid w/transp. fitting
- Air w/transp. fitting

Transport Fittings

- With
- Without

Cushion colours



Blue



Red



Black



Pink



Purple

Frame colour



Silver











Standard Rodeo RD14



Folded Rodeo

Measurements

		RD 12	RD 14	RD 16
	Effective seat width	305 mm	355 mm	405 mm
	Effective seat depth	230-360 mm	280-410 mm	330-460 mm
	Backrest height	560 mm	610 mm	635 mm
	Total mass	15 kg	16 kg	17 kg
	Max. load regular/transit	34/30 kg	46/46 kg	77/64 kg
	Overall width	580 mm	630 mm	680 mm
	Length	890 mm	890 mm	910 mm
	Overall height	1090 mm	1120 mm	1140 mm
	Folded length	860 mm	860 mm	1015 mm
	Folded width	585 mm	635 mm	685 mm
	Folded height	430 mm	460 mm	460 mm

Further measurements at our website

Nice to know

Rodeo is suitable for walks in uneven terrain and nature.

It is easy to adjust and mount different accessories which makes it possible to use for children with different needs.



Accessories



Folding top with windows

12: C904745-xx
14: C904746-xx
16: C904747-xx



Headrest cover

C902679-xx
C902659-xx
C903152-xx



Rain cover

12: C904939
14: C904940
16: C905253



Headrest Extension

12: C902863-xx
14: C900484-xx
16: C900138-xx



Headwings

Padded:
12: C902673
14: C902653
16: C903147



Occi headwings



H-harness with padded covers

With padded covers
C903988




3-pt positioning belt

With adjustable crotch strap
C904017



Full torso vest

12: C903261
14: C903260
16: C903259



Reducer seat insert

Seat width 5 cm smaller, seat depth 2,5 cm smaller.
12: C904211
14: C904110



Swing away laterals - contoured

X-small: C902980
Small: C902981
Medium: C902982
Large: C902983



Under seat storage basket

12: C904529
14/16: C904530

For more accessories - visit our website



Oxygen tank bag
C902870




Utility bag
C904531



Legrest extension
12 : C904095
14: C904096
16: C904097



**Height adjustable
flip-up armrest**
C904346



Solid/Mesh side panels
12: C902672/ C902680
14: C902652/ C902681
16: C903145/ C903146




Rear anti-tip tubes (pair)
C904649



**Upper extremity support surface
(clear tray)**
Flip-up arm rest required
12: C903405
14: C903401
16: C903402



Upper extremity support tray
Foam tray
12: C903669
14/16: C903670



Transport fittings
Always together with Headrest Extension
C997134



Medical necessity storage
12: C904476
14/16: C904477



Medial thigh support-abductor
With position/align cushion
C902667
C902647
C903140



Lateral thigh support-abductor
With position/align cushion
C902668
C902648
C903141



Seating

R82[®]



Overall width
560–620 mm



Max. load
60–100 kg



Environment
Indoor & outdoor*

*Only High-low Frame outdoor version for outdoor use.

High-low Frame

The High-low Frame is a stable base with a user friendly height adjustment from floor to table height. The High-low Frame is available either as an indoor frame with small lockable castors or as an outdoor frame with large wheels and foot brake.

Highlights about High-low Frame



Height adjustment

The height is adjustable from floor to table height. The frames are available with either gas or power height adjustment.



Interface

Various seats can be mounted on the High-low Frame by means of an interface. Here a High-low Frame for outdoor use mounted with a Panda Futura.



Angling of seat base

The seat base has an angle range of 40° which helps obtain varied seating positions. The base can be set to angle from 0° to 30° or from -10° to 20°.



Safe transportation in vehicles

The High-low Frame, outdoor, complies with the international transit wheelchair standard ISO 7176-19. The High-low Frame, outdoor, can be used with seat units that comply with ISO 16840-4.



Standard

Height adjustment, angling of seat plane, one size outdoor frame with 12 ½" rear wheels 7" swivel front wheels and foot brake, one size indoor with 100 mm lockable castors.

Options

Height adjustment indoor frame

- Gas
- Power

Height adjustment outdoor frame

- Gas
- Power
- Handbrakes
- Handbrakes and power

Frame colour



Black


Accessories



Push brace for indoor High-low
8910545



Angle adjustable push brace for indoor frame
8910565, 8910555



Extra gas spring
89955+8911003



Anti-tip for High-low
89951-0x



Power kit for High-low
8995x



Rod for foot support
Double rod: 891084x-x
Single rod: 891082x-x



Parted foot supports
89146-x



Foot plate
95145-1, 85145-2


For more accessories - visit our website



Individual angle adjustable foot supports
89143-x



Foot plate model Wombat
95145-2, 95145-3, 95145-4



Individual multi adjustable foot support
Size 1 8910851-x
Size 2+3 8910852-x




Adjustable legsupport
89162



Foot plate
89130



Foot plate, padded
89128



Transport fittings only for outdoor frames
9809xx



Wheels with directional stabilizers
89592-KIT

Measurements

		Indoor Frame		Outdoor Frame	
		w/Gas	w/Power	w/Gas	w/power
	Seat surface height at front edge*	170–600 mm	260–700 mm	260–700 mm	260–700 mm
	Max. Load	60 kg	60 kg	60 kg	60 kg
	Max. load at transportation	-	-	43 kg	43 kg
	Seat plane angle	-10° – 30°	-10° – 30°	-10° – 30°	-10° – 30°
	Length	690 mm	690 mm	960 mm	960 mm
	Overall width	560 mm	560 mm	620 mm	620 mm
	Total mass	12,5 kg	13 kg	17,5 kg	18,0 kg

*Measured to adaptor plate. Further measurements at our website



Seating

R82[®]



Overall width
560–620 mm



Max. load
60–100 kg



Environment
Indoor & outdoor*

*Only High-low:x Frame outdoor version for outdoor use.

High-low:x[®] Frame

The High-low:x Frame is a stable base with a user friendly height adjustment from floor to table height. The High-low:x Frame is available either as an indoor frame with small lockable castors or as an outdoor frame with large wheels and foot brake.

Highlights about High-low:x Frame



Height adjustment

The height is adjustable from floor to table height. The frames are available with either gas, power or hydraulic height adjustment.



Fixed mounting or interface

On the High-low:x size 1 and 2 the seats are mounted into the interface. On size 3 the seats can be mounted either directly onto the High-low:x Frame or by using an interface.



Angling of seat base

The seat base has an angle range of 40° which helps obtain varied seating positions. The base can be set to angle from 0° to 30° or from -10° to 20°.



Safe transportation in vehicles

The High-low:x Frame, outdoor, complies with the international transit wheelchair standard ISO 7176-19. The High-low Frame, outdoor, can be used with seat units that comply with ISO 16840-4.



Standard

Height adjustment, angling of seat plane, 2 sizes outdoor frame with 12 ½" rear wheels 7" swivel front wheels and foot brake, 3 sizes indoor with 100 mm lockable castors.

Options

Height adjustment indoor & outdoor

- Gas
- Power
- Hydraulic

Frame colour



Black









Standard High-low:x Frame with gas



High-low:x Frame mounted with x:panda








Measurements

High-low:x indoor

		1 gas	2 gas	1 power	2 power	3 power	2 hydraulic
	Seat surface height at front edge*	170–600 mm	250–610 mm	170–600 mm	250–620 mm	320–560 mm	220–580 mm
	Max. load	60 kg	60 kg	60 kg	60 kg	100 kg	60 kg
	Seat plane angle	–10° – 30°	–10° – 30°	–10° – 30°	–10° – 30°	–10° – 30°	–10° – 30°
	Length	690 mm	780 mm	690 mm	780 mm	780 mm	780 mm
	Overall width	560 mm	620 mm	560 mm	620 mm	620 mm	620 mm
	Total mass	12,5 kg	14,0 kg	13,0 kg	16,5 kg	17,0 kg	16,5 kg

*To adaptor plate. Further measurements at our website

High-low:x outdoor

		1 gas	2 gas	1 power lift	2 power lift	2 hydraulic
	Seat surface height at front edge*	260–700 mm	330–640 mm	260–700 mm	330–640 mm	430–590 mm
	Max. load	60 kg	60 kg	60 kg	60 kg	60 kg
	Max. Load at transportation	43 kg	43 kg	43 kg	43 kg	43 kg
	Seat plane angle	–10° – 30°	–10° – 30°	–10° – 30°	–10° – 30°	–10° – 30°
	Length	960 mm	1110 mm	960 mm	1110 mm	1110 mm
	Overall width	620 mm	620 mm	620 mm	620 mm	620 mm
	Total mass	17,5 kg	20,0 kg	18,0 kg	20,5 kg	20,5 kg

*To adaptor plate. Further measurements at our website

Nice to know

Recommendations for the choice of frame.

Stingray seat size 1 or 2: Frame size 2

x:panda size 1-2: Frame size 1

x:panda size 3: Frame size 2 or 3

x:panda size 4: Frame size 3

How to calculate the load on the frame: User (weight of child) + Seat + accessories = Load

Example: Child (25 kg), x:panda size 2 (8.5 kg), Accessories (5 kg), Total: 38.5 kg.



Accessories



Push brace for indoor High-low:x
8910545



Angle adjustable push brace for indoor frame
8910565, 8910555



Foot pedal kit
8910610



Extra gas spring
89955+8911003



Power kit for High-low:x
9896x



Anti-tip for High-low:x
89951-0x



Transport fittings only for outdoor frames
9809xx



Double rod for foot support
891084x-x



Single rod for foot support
891082x-x



Parted foot supports
89146-x



Foot plate
95145-1, 85145-2



Individual angle adjustable foot supports
89143-x

For more accessories - visit our website



Individual multi adjustable foot support

Size 1 8910851-x
Size 2+3 8910852-x



Adjustable legsupport

89162



Foot plate model Wombat

95145-2, 95145-3, 95145-4



Foot plate

89130



Foot plate, padded

89128



Wheels with directional stabilizers

89592-KIT



Central brake kit

8910950





Seating

R82[®]



Overall width
590–690 mm



Max. load
100 kg



Environment
Indoor & outdoor

Multi Frame®

The Multi Frame is an innovative, lightweight and highly manoeuvrable wheelchair base designed to fit both the Panda Futura and x:panda, but also other manufacturers seating that is constructed in a similar fashion and meets the current standards.

Highlights about Multi Frame



Tilt in space

Simple to operate tilt in space with the minimum of moving parts.



Seats

Mount a Panda Futura or x:panda seat on the Multi Frame.



Prepared for other manufactures seats and backs



Safe transportation in vehicles

The Multi Frame complies with ISO 7176-19, transporting users in motor vehicles. The Multi Frame can be used with seat units that complies with ISO 16840-4.



Standard

3 sizes, built-in tilt in space 0° to 30°, change of seat to floor height, brakes, anti tips - swing away type, angle adjustable push brace.

Options

Three sizes

Size 1

Size 2

Size 3

Seat mounting

Fixed mounting on seat plate (standard)

Adaptor plate

Rear wheels

12 ½" solid or air

22" solid or air

Brakes

Wheel brake

Drum brake

Front wheels

7" solid grey or black

7" air grey or black

Frame colour



Silver




















Multi Frame with 12.5" rear wheels



Multi Frame with 22" rear wheels

Measurements

		1	2	3
	Seat surface height at front edge*	395, 425, 455 mm	395, 425, 455 mm	395, 425, 455 mm
	Max. Load	100 kg	100 kg	100 kg
	Max. load at transportation	100 kg	100 kg	100 kg
	Seat plane angle	0-30°, 35°, 40°	0-30°, 35°, 40°	0-30°, 35°, 40°
	Width between wheels	340 mm	390 mm	440 mm
	Length with 12½"	640 mm	640 mm	690 mm
	Length with 22"	750 mm	750 mm	800 mm
	Overall width	590 mm	640 mm	690 mm
	Overall height**	915 mm	915 mm	915 mm
	Folded length with 12½"	730 mm	730 mm	780 mm
	Folded width with 12½"	470 mm	470 mm	470 mm
	Folded height with 12½"	640 mm	640 mm	690 mm
	Folded length with 22"	850 mm	850 mm	900 mm
	Folded width with 22"	590 mm	640 mm	690 mm
	Folded height with 22"	560 mm	560 mm	560 mm
	Total mass with 12 ½" wheels	13 kg	13 kg	13 kg
	Total mass with 22" wheels	14 kg	14 kg	14 kg

*Measured to basic plate. **Measured with push brace 15°. Further measurements at our website

Nice to know

The angle of the push brace can be adjusted to make a bigger distance between the push brace and seat. The adjustment is easily done with the use of the strap under the frame and the correct position is easily recognized by the click of the locking pin into the fitting.



Accessories



Interface
8911610-98 + 8911610-99



Transport fittings
970905



Spoke protector
970922



Single rod for footsupport
8910821-x




Individual multi adjustable foot support
8910852-x



Foot plate
95145-1, 85145-2



Foot plate model Wombat
95145-2, 95145-3, 95145-4



Vent tray
970815

For more accessories - visit our website





Seating

R82[®]



Overall width
660 mm



Max. load
100 kg



Environment
Indoor & outdoor

Multi Frame:x[®]

Designed to provide extraordinary stability and safety, the Multi Frame:x is the perfect choice of wheelchair base for large seat units like the Panda Futura 5 and x:panda 4. The Multi Frame:x is a strong, stable and highly manoeuvrable wheelchair base.

Highlights about Multi Frame:x



Seats for Multi Frame:x

Multi Frame:x is the perfect choice of wheelchair base for large seat units like the Panda Futura 5 and x:panda 4 from R82.



User-friendly adjustability

The tilt-in-space and back recline functions are operated from the push brace ensuring optimum working conditions. Stepless recline of the push handle makes it possible to adapt the height to any carer.



Seat height adjustment

Positioning the user as close to the floor as possible ensures a much easier transfer.



Tested and approved

The Multi Frame:x complies with ISO 7176-19, transporting users in motor vehicles. The Multi Frame:x can be used with seat units that comply with ISO 16840-4.



Standard

Built-in recline, built-in tilt, anti-tip device, seat height adjustment, angle adjustable push brace.

Options

Rear wheels

- 12 ½" solid or air
- 20"/22"/24" solid or air

Front wheels

- 6" solid
- 7" solid or air

Brakes

- Wheel brake
- Drum brake

Frame colour



Anthracite grey












Multi Frame:x with 12 ½" rear wheels and 7" front wheels



Multi Frame:x with 22" rear wheels and 6" front wheels

Measurements

3		
	Seat surface height at front edge	410, 435, 460 mm
	Max. Load	100 kg
	Max. load at transportation	100 kg
	Seat plane angle	-5-30°
	Width between wheels	215 x 405 mm
	Length	840 mm
	Overall width	660 mm
	Overall height	980 mm
	Total mass	20 kg

The Multi Frame:x is approved for transporting users in motor vehicles. Secure the user with an approved 3-point belt according to ISO 10542-1 and use an approved 4-point strap-type tiedown system according to ISO 10542-2 to secure the wheelchair in a forward-facing position in the vehicle. All removable accessories must be dismantled and secured separately in the vehicle.

Nice to know

Use the seat height adjustment to position the user as close to the floor as possible for easier transfer – or use the seat height extension to increase the distance from the frame to the floor to 460 mm, which allows for customisation for users with longer legs.



Accessories



Adapter
8911610-99L



Mud guards
96052x




Spoke protector
9709xx



Seat height extension
961030-xx



Mounting for foot rest system
9610421



Single rod for foot rest
897526x



Double rod for foot rest
897528x



Calf support
85131



Foot plate model Wombat
95145-2, 95145-3, 95145-4



Foot plate
95145-1, 85145-2



Parted foot supports
89146-x



Individual angle adjustable foot supports
89143-x

For more accessories - visit our website



Parted foot rests
9610420



Transport fittings
960905



Vent tray
95281-10





Seating

R82[®]



Overall width
590 mm



Max. load
40 kg



Environment
Indoor & outdoor

Stingray Frame[®]

The Stingray frame with 180° turnable base makes it possible to move your child from forward facing to rear facing without leaving their seat.

The carbon Stingray Frame is in a league of its own with the trendsetting design, great adjustments and ease of steering.

Highlights about Stingray Frame



180° turnable seat unit

Revolutionary function with a 180° turnable seat unit. Let your child explore the surroundings during the trip or simply turn the unit to obtain eye contact with your child.



Foldable frame

The Stingray Frame is foldable for storage and transportation.



Tilt in space

The tilt in space function is very useful when the user needs to rest. Simply angle the complete unit into the desired position.



Safe transportation in vehicles

The Stingray Frame complies with the international transit wheelchair standard ISO 7176-19. The Stingray Frame can be used with seat units that comply with ISO 16840-4.



Standard

180° degree turntable base, one size with 12" rear wheels, tilt-in-space, adaptor plate.

Options

Front wheels

- 12" solid or air, no swivel
- 7" solid or air, turnable front wheels, with directional stabilizer

Rear wheels

- 12" solid or air, no swivel

Foot brake

- Individual
- Central

Hand brake

- Hand brakes
- No hand brakes

Foot rest

- Long bar
- Short bar

Frame colour



Black







Standard Stingray with 12" no swivel front wheels



Standard Stingray with 7" turnable front wheels, with directional stabilizer

Measurements

1		
	Seat surface height at front edge**	520 mm
	Max. load	40 kg
	Max. load at transportation	40 kg
	Seat plane angle	45°
	Length*	740 mm
	Overall width	590 mm
	Overall height	1000, 1030, 1060 mm
	Folded length	900 mm
	Folded width	590 mm
	Folded height	490 mm
	Total mass	20 kg

*Measured with turnable front wheels. **Measured to adaptorplate. Further measurements at our website

Accessories



Shopping basket
8720600



Transport fittings
8720902



Vent tray
8776290



Oxygen bottle holder
8776295

For more accessories - visit our website



Seating

R82[®]



Overall width
580–730 mm



Max. load
100 kg



Environment
Indoor & outdoor

Combi Frame:x®

The Combi Frame:x is a unique wheelchair frame for customized seating systems. The Combi Frame:x is ideal for both indoor and outdoor use and can be fitted with different seat and back systems. The Combi Frame:x is suitable for users needing an individual seating system and base.

Highlights about Combi Frame:x



Centre of gravity and tilt in space

The Combi Frame:x centre of gravity is self-centring. The seating unit can be tilted from horizontal to 40 degrees.



Compatible with different seat and back systems

The Combi Frame:x can be equipped with different back systems and cushions.



Fixed mounting or interface

Various seats can be mounted directly onto the Combi Frame:x. Alternatively the seats can be mounted into an interface. The frame is used for a variety of seating units like the Panda Futura and x:panda from R82.



Safe transportation in vehicles

The Combi Frame:x complies with the international transit wheelchair standard ISO 7176-19. The Combi Frame:x can be used with seat units that comply with ISO 16840-4.



Standard

4 sizes, self-centring centre of gravity, prepared for x:panda, Panda and moulded seats, anti-tip device.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Seat mounting

- Fixed mounting on seat plate (standard)
- Adaptor plate

Rear wheels

- 12 ½" solid or air
- 20"/22"/24" solid or air

Front wheels

- 6" solid or air
- 7" solid or air

Back recline

- No recline
- Recline

Brakes

- Wheel brake
- Drum brake
- Wheel brake + drum brake

Frame colour



Silver



Black



White















Combi Frame:x with 12½" wheels



Combi Frame:x with 24" wheels

Measurements

		1	2	3	4
	Seat surface height at front edge	430, 460, 490 mm	430, 460, 490 mm	430, 460, 490 mm	430, 460, 490 mm
	Max. Load	100 kg	100 kg	100 kg	100 kg
	Max. load at transportation	100 kg	100 kg	100 kg	100 kg
	Seat plane angle	0–40°	0–40°	0–40°	0–40°
	Width between wheels	440 mm	490 mm	560 mm	600 mm
	Overall length	830 mm	830 mm	830 mm	830 mm
	Overall width	580 mm	630 mm	680 mm	730 mm
	Overall height	900 mm	940 mm	1040 mm	1140 mm
	Folded length	800 mm	800 mm	840 mm	940 mm
	Folded width	580 mm	630 mm	680 mm	730 mm
	Folded height	550 mm	550 mm	550 mm	550 mm
	Total mass	22 kg	23 kg	24 kg	27 kg

Further measurements at our website

Nice to know

The Combi Frame:x is a unique wheelchair frame for customised seating systems. The multiple adjustment possibilities and the large accessories selection allows for a highly customised seating solution for the individual user with complex needs.


The kit for dynamic back rest with recline provides dynamic movement of the back rest. A dynamic back allows the user to push back during the extensor trust and supports the user to regain the starting point for the movement.



Accessories



Mounting for head support
980200



Mounting for head support
9802x0



Kit for dynamic back rest with recline
980946-DYN



Fix locks
970710



Mudguards
98052x-1



Spoke protectors
97102x



Transport fittings
980900, 980903



Adapter
8911610-98 + 8911610-99



Mounting for single/parted foot support
98015x



Single rod for foot rest
897526x



Bar for parted foot support
897528x



Individual angle adjustable foot supports
89143-x

For more accessories - visit our website



Foot support
89144-x01



Parted foot supports
89146-x



Foot plate model Wombat
95145-2, 95145-3, 95145-4



Foot plate
95145-1, 85145-2



Leg rest with gas strut
970500-x



Fixed angle leg rest
970510-x



Calf supports, parted incl. cover
970550-x



Calf support, one piece incl. cover
970555-x




Extra cover for calf support
970550-x13, parted
970555-x13, one piece



Individual, multi-adjustable foot support
981085x-x



Vent tray
970815



Push brace, complete
Supplied as standard for Combi Frame:x
97054x-1



Seating

R82[®]



Overall width
600 mm



Max. load
120 kg



Environment
Indoor only

Strong Base®

The Strong Base is a simple, stable and sturdy base for large seat units such as the Panda Futura 5 and the x:panda 4.

Seat units are mounted either directly onto the Strong Base or by means of an interface making it easy to switch between frames.

Highlights about Strong Base



Height adjustment

The Strong Base has either manual or spindle height adjustment. The manual base adjust from 30 to 55 cm in height - the spindle base adjust from 30 to 51 cm in height.



Tilt in space

The tilt in space function helps obtain varied seating positions. Simply angle the complete unit into the desired position. Tilt in space from -10 to +25°.



Fixed mounting or interface

Various seats can be mounted directly onto the Strong Base. Alternatively the seats can be mounted by means of an interface.



Easy to manoeuvre

The smooth running castors make it very easy to move the Strong Base around. All four castors are equipped with directional stabilizers and brakes.



Standard

1 size in 2 versions, built-in tilt in space, 125 mm swivel castors with brakes and directional stabilizers, lock on all 4 wheels, seat plate.

Options

Seat mounting

- Seat plate (standard)
- Adapter plate

Height adjustment

- Manual
- Spindle

Frame colour




Anthracite grey

Accessories



Push brace
8910545



Angle adjustable push brace for indoor frame
8910565




Adapter for seat mounting
8911610-99L



Single rod for foot supports
891082x-x



Double rod for foot supports
891084x-x



Individual multi adjustable foot support
Size 1 8910851-x
Size 2+3 8910852-x



Individual angle adjustable foot supports
89143-x



Wombat foot plate
95145-3, 95145-4

For more accessories - visit our website



Parted foot supports
89146-x



Width extension for multi-adjustable foot support
8910855

Measurements

		1	2
	Seat surface height at front edge*	420-670 mm	420-630 mm
	Max. Load	120 kg	120 kg
	Seat plane angle	-10° -25°	-10° -25°
	Length	700 mm	700 mm
	Overall width	600 mm	600 mm
	Overall height	300-550 mm	300-510 mm
	Total mass	14 kg	15,5 kg

*Measured from x:panda 4 seat to floor. Further measurements at our website

Nice to know

The Panda Futura 5 or x:panda size 4 is mounted directly onto the Strong Base or by means of an interface making it possible to switch the seat between frames.

The seat surface height at the front edge of the x:panda size 4 on 420 mm allows standing transfers into the seat.



Standing, overview

		Meerkat	Rabbit Up	Toucan	Caribou	Gazelle
Target users	Max. load	90 kg	70 kg	70 kg	100 kg	80 kg
	User height	700–1800 mm	870–1800 mm	870–1800 mm	850–1840 mm	700–1650 mm
Features	Easy transfer using the tilt function				•	•
	Accessories are easily interchangeable	•			•	
	Mobile (Quick release wheels)		•			
	Hip abduction (0–30°)					•
	Dynamic standing	•				
Environment	Indoor	•	•	•	•	•
	Outdoor		•			



Standing

Safe support while standing increases both physical and mental well-being!



Standing

R82[®]



User height
700–1800 mm



Max. load
90 kg



Environment
Indoor only

Meerkat[®]

The Meerkat is a simple and modular built standing frame with a free choice of positioning in anterior or posterior.

The Meerkat is available in 3 sizes and suitable for children and youngsters.

Highlights about Meerkat



Dynamic standing

The child's freedom of movement is encouraged with minimal support, pure product design and the innovative rocker.



Simple and intuitive

All support is intuitively easy to use and adjust, making life easier for parents and carers. The low entrance height ensures easy transfer.



Easy adjustments

Simple adjustments can be done without any tools required. The child can have fun and play while standing.



Growth adjustable accessories

Growth opportunity and increased reuse possibility.



Standard

Base plate with wheels, column, tool.

Options

Size

- Size 1
- Size 2
- Size 3

Base plate colours and castors



Strawberry ice with cow,
size 1



Pastel blue with airplane,
size 1










Anthracite with grey,
size 2+3



The Meerkat comes with column, base plate and tool for all sizes

Measurements

		1	2	3
	User height: floor to axil	400–750 mm	720–1000 mm	840–1300 mm
	User height	700–1050 mm	950–1350 mm	1170–1800 mm
	Max. load	20 kg	65 kg	90 kg
	Length	595 mm	800 mm	800 mm
	Overall width	525 mm	780 mm	780 mm
	Overall height	375–750 mm	500–1000 mm	650–1300 mm
	Total mass	9 kg	15 kg	15 kg

Further measurements at our website

Nice to know

The Meerkat can be used to create a learning environment, where the chest, pelvic and knee supports are used to provide the child with the exact support needed to challenge static and active trunk control. When the Meerkat is fitted with a rocker, it is possible to challenge the child's reactive trunk control.

When the child develops control over a segment of the trunk, the support can gradually be moved from top down. Thereby the Meerkat allows the child to develop trunk control, as seen in typically developing children, which might lead to improvement in gross motor function and mobility.



Accessories



Chest support
86948x



Pelvic support
86924x



Knee supports
86984x



Sandals
86949x-x




Rocker
118598-1, 117047-1




Tray
869485, 869486



Displacement kit
124025



Daily adjustment kit
124026



Simple and effective standing

Provides more freedom to move and encourages the child to keep an active upright posture.

For more accessories - visit our website

Easy & fun

Mounting of the rocker can be done while the child is standing in the Meerkat.





Standing

R82



User height
870–1800 mm



Max. load
70 kg



Environment
Indoor & outdoor

Rabbit® Up

The Rabbit Up is a truly adaptable stander. It is secure, reliable and adjustable for all standing needs while also offering the independence to explore using the optional driving wheels. The Rabbit Up enables the child to be an active participant whilst stimulating senses and providing the child with more independence.

Highlights about Rabbit Up



Stander and Mobile stander

The Rabbit Up not only meets all your standing needs but also offers its users the freedom and opportunity to explore using the two optional driving wheels, giving additional independence to the child.



Angle adjustable centre bar

The Rabbit Up has two simple, easy to use angle adjustment options: fixed positions and stepless spindle. This makes transfer easier and helps obtain the best possible position for standing and propelling the driving wheels.



Quick release wheels

The two driving wheels are equipped with quick release for easy mounting and dismounting. The wheels are available in a variety of sizes from 22" up to 36" so you can find the perfect fit for the child.



Camber angling

If you choose to use the driving wheels on your Rabbit Up you have the possibility to change the camber angle. This enables an optimum position of the driving wheels, making propelling easier for the child.



Standard

Mobile stander: Frame, center bar, two driving wheels, standard camber angle, four castors, spoke protectors, fixed positions angle adjustment.

Standing frame: Frame, center bar, four castors with brakes, fixed positions angle adjustment.

Options, Mobile stander

Four sizes

- Size 1
- Size 2
- Size 3
- Size 4

Driving wheels

- 22"
24"
- 26"
29"
- 32"
36"

Standard camber angle

- Size 1: 8°
- Size 2+3: 6°
- Size 4: 4°
- Standard plus
- +3°, +6°, -3°, -6°

Push rims

- Open
- Closed

Castors

- With brakes
- Without brakes (driving wheels must be fitted)

Angle adjustment

- Fixed positions (standard)
- Spindle

Options, Standing frame

Four sizes

- Size 1
- Size 2
- Size 3
- Size 4

Brakes

- 4 castors with brakes (standard)
- Prepared for driving wheels, 4 castors with brakes

Angle adjustment

- Fixed positions (standard)
- Spindle

Frame colours



Yellow for size 1



Blue for size 2



Anthracite grey for size 3



Silver for size 4













Standard Standing Rabbit Up size 1 (foot plate not standard)



Standard Mobile Rabbit Up size 1 (foot plate not standard)

Measurements

		1	2	3	4
	User height: floor to axil	550–740 mm	750–1080 mm	830–1190 mm	960–1420 mm
	Max. load	40 kg	50 kg	60 kg	70 kg
	Angle, center bar	0–30°	0–30°	0–30°	0–30°
	Length	700 mm	796 mm	796 mm	926 mm
	Length, with driving wheels*	620 mm	750 mm	800 mm	900 mm
	Overall width	515 mm	550 mm	600 mm	600 mm
	Overall width, with driving wheels*	635 mm	680 mm	730 mm	720 mm
	Overall height	670–1000 mm	850–1180 mm	990–1310 mm	1200–1530 mm
	Total mass	9 kg	10.5 kg	11 kg	13.5 kg
	Total mass, with driving wheels*	13,5 kg	15,5 kg	16 kg	18,5 kg

Further measurements at our website
The Rabbit Up is measured in an upright position, without driving wheels and with the foot plate in lowest position
*With driving wheels: size 1 with 22", size 2 with 26", size 3 with 32", size 4 with 36" wheels

Nice to know

Rabbit Up offers the child the possibility to independently explore their surroundings by moving around using the optional driving wheels – and maybe even more important to drive away from situations they do not want to participate in.



Accessories



Foot plate/Heel stops
86121x/861252



Hinged sandals for flip up foot plate
86122x



Formed foot plates
86149, 86147, 86148



Separate foot supports
86120x



Knee supports, hinged
86131x



Abdominal support
861411



Hip support, front
86160x



Hip support, derotational
86161x



Hip support, rear
86150x



Surrounding hip support
861610, 861620, 861630



Back support
861401



Chest support
86170x

For more accessories - visit our website



Chest support
86180x




Chest support
8618x0




Distance piece
861421, 861422



Cover
8698x0-x60



Extension piece
861480



Connecting system for head support
861424-3, 861424-4



Play box
862501



Tray
862515

"So you think you can go faster than me..."





Standing

R82[®]



User height
870–1800 mm



Max. load
70 kg



Environment
Indoor only

Toucan®

The Toucan standing frame comes with soft curves and smart colours. It is designed to support the user in the upright and prone position.

The Toucan is available in 5 sizes.

Highlights about Toucan




Angle adjustable centre bar

The Toucan has easy and smooth angle adjustment making it possible to obtain the optimum standing position.



The Toucan is designed with slots in the centre bar for mounting accessories



Handle with lock

The handle for angling the centre bar is equipped with a security lock. Pull out the lock whilst turning the handle to change the angle.



Castors with locks

All four wheels are equipped with locks securing the Toucan for stability. The wheels are very easy to manoeuvre making it easy to move the Toucan around.



Standard

Frame, castors, wheel locks, centre bar, tilt wind system.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4
- Size 5

Frame colour



Red for
size 1



Blue for
size 2+3











Silver for
size 4+5



As standard the Toucan is delivered with frame and centre bar. Please flip once to find accessories

Measurements

		1	2	3	4	5
	User height: floor to axil	340–700 mm	540–900 mm	740–1100 mm	910–1210 mm	1110–1410 mm
	Max. load	30 kg	40 kg	50 kg	60 kg	70 kg
	Floor to foot plate	60 mm	60 mm	60 mm	60 mm	60 mm
	Angle, center bar	0–30°	0–30°	0–30°	0–20°	0–20°
	Length	750 mm	880 mm	880 mm	1110 mm	1110 mm
	Overall width	560 mm	630 mm	630 mm	700 mm	700 mm
	Overall height	670–870 mm	720–1010 mm	970–1230 mm	1040–1340 mm	1240–1540 mm
	Total mass	7,5 kg	8,5 kg	9 kg	10,5 kg	10,75 kg
Further measurements at our website						

Nice to know

The distance from the floor to the foot plate is only 60 mm, which makes it possible for most of the target users to step into the Toucan.

The target users will be able to maintain antigravity head posture; however, it is possible to mount a head support to compensate for inability to maintain the head alignment during standing.



Accessories



Foot plate/Heel stops
86121x/86125x



Hinged sandals
86122x



Formed foot plates
86149, 86147, 86148



Separate foot supports
86120x



Knee supports
86131x, 86130x



Abdominal support
861411



Hip support, front
86160x



Hip support, derotational
86161x



Hip support, rear
86150x



Surrounding Hip support
8616x0



Back support
861401



Chest support
86170x

For more accessories - visit our website




Chest support
86180x



Chest support
8618x0



Cover
8698x0-x60



Distance piece
861421, 861422



Extension piece
861480



Connecting system for head support
861424-3, 861424-4



Tray plastic
86112x



Tray
862515

Padding for tray
862135-x



Tray, wood/Arm rests
86110x/ 861111





Standing

R82[®]



User height
850–1840 mm



Max. load
100 kg




Environment
Indoor only

Caribou®

The Caribou is a standing frame that supports a prone or supine standing position. The Caribou is available in 4 sizes and suitable for children and teenagers.

Highlights about Caribou




Easy transfer

The Caribou tilts from vertical to horizontal. The horizontal position makes it easier for the carer and less stressful for the user to be placed into position.



Compatible accessories

The Caribou accessories are compatible with all sizes, and are easily fitted and adjusted on the Caribou frame.



Easy tilt

The Caribou is supplied with an easy tilt mechanism.



Anatomic design and comfortable

Soft mouldable PU for comfort.



Standard

100 mm castors with locks, height and angle adjustable parted foot support, tilt: From vertical to horizontal.

Options

Size

- Size 1
- Size 2
- Size 3
- Size 4

Version*

- with power
- manual

*Sizes 3 and 4 are recommended in the power versions to ease tilting

Frame colour



Yellow for
size 1



Red for
size 2



Blue for
size 3











Anthracite
grey for size 4



The Caribou can be ordered as either manual or power version

Measurements

		1	2	3	4
	User height	850–1120 mm	980–1290 mm	1250–1560 mm	1530–1840 mm
	Max. load	40 kg	60 kg	80 kg	100 kg
	Floor to foot plate	130 mm	130 mm	130 mm	130 mm
	Angle, center bar	0–87°	0–87°	0–87°	0–87°
	Length	750 mm	920 mm	1110 mm	1110 mm
	Overall width	510 mm	570 mm	650 mm	750 mm
	Overall height*	790 mm	910 mm	1130 mm	1410 mm
	Total mass	20,5 kg	24 kg	30,5 kg	35 kg

Further measurements at our website
 *Configuration: Standard product and top plate (measured from the floor)

Nice to know

The extensive accessories selection allows children and youngsters who have severe limitations in head and trunk control or who experience limitations in their range of motion to adopt the standing position. Thereby the Caribou supports the child to participate in things they value – and it can bridge the disparities between children with and without disabilities.

When used for prone standing, the shape of the top plate ensures freedom of movement and allows the child to use their arms and hands actively, for instance at the table in front of the body and standing frame.



Accessories



Top plate/Head plate
861101-x/861116-x



Cross straps/Chest strap
862102-x/862101-x



Side supports
861102-x



Straps for side supports
86103-x, 862103-x



Shoulder support
861126-x



Wedges for side slots
861107-x



Head support
9945493-83 / 9967493-83



Extra cushions
861106-x



Back support
861115-x



Upper arm supports
861109-x0,

Side supports
861102-x



Pommel
861103-x

Strap for pommel
862104-x



**Knee supports, fixed/
Knee supports, hinged, fixed**
861144-x/861144-xx

For more accessories - visit our website



Knee supports, swing-away
861154-x



Knee supports, hinged, swing-away
861154-xx



Formed foot plates
8614x



Heel supports
86125x



Tray, low mounting
862131-1, 862131-2



Tray
862130-x



Arm rests for plastic tray
861131



Toybar for plastic tray
861135



Grip handle for plastic tray
8910750



Helper's handle
861108-U



Fix locks
862109-35



Conversion kit
860113-KIT, 860114-KIT



Standing

R82[®]



User height
700–1650 mm



Max. load
80 kg



Environment
Indoor only

Gazelle PS[®]

Gazelle PS stands for Prone and Supine which means it can be used by children who need to be supported on their fronts or backs. It offers up to 30 degrees of hip abduction in each leg. The Gazelle PS is available in 3 sizes.

Highlights about Gazelle PS



Tilt vertical-horizontal

The Gazelle PS tilts from vertical to 15° past horizontal. This is an excellent position for respiratory therapy and postural drainage.



Compatible accessories

The Gazelle accessories are compatible with all sizes, and are easily fitted and adjusted on the Gazelle frame.



Multi-adjustable foot supports

Ball joints in foot plates allow for positioning and support for almost any ankle/foot placement.



Manual leg abduction

Gazelle moves in an anatomically correct motion to help position the head of the femur into the acetabulum. You can adjust either one or both legs to the optimal angle.



Standard

Multi adjustable foot support, knee support, foldable bracket for back support, removable back support, trunk safety belt, castors with lock, manual leg abduction, tilt from vertical to horizontal, adjustable trunk or chest support.

Options

Size

- Size 1
- Size 2
- Size 3

Frame colour



Yellow for
size 1



Green for
size 2



Blue for
size 3




As standard the Gazelle PS is supplied with chest and foot straps

Measurements

		1	2	3
	User height: floor to axil	450–950 mm	600–1050 mm	700–1250 mm
	Max. load	40 kg	60 kg	80 kg
	Angle, center bar	90 – –15°	90 – –15°	90 – –15°
	Length	760 mm	880 mm	990 mm
	Overall width	480 mm	580 mm	650 mm
	Overall height	760 mm	800 mm	900 mm
	Total mass	20 kg	22 kg	24 kg

Further measurements at our website

Accessories



Head support system
88124-xx



Mounting for head support
88130



Facial aperture
88117-x



Anat. head support
88119-x



Side supports
88055-x



Side supports, interior
88075-x



Side supports, exterior
88065-x



Trunk support
88106-x



Angling of lower leg
88165-x



Strap for side supports
88250-x



Tray with bowl
88113-x



Tray
88108-x
Padding for tray
862135-x

For more accessories - visit our website



Walking, overview

		Mustang	Crocodile	Pony
Target users	Max. load	80 kg	80 kg	50 kg
	App. user height	700–1800 mm	800–1800 mm	700–1350 mm
Features	Adjustable (forward lean)	•		•
	Height adjustable seat	•		•
	Chest support	•		•
	Handles	•	•	•
	Easy to access	•	•	
	Easy to store and carry	•	•	
	Foldable frame	•	•	
Environment	Indoor	•	•	•
	Outdoor	•*	•	

*When equipped with 4" castors is primarily intended for indoor use. Can be used outdoor as well on level surfaces.



Walking

Robust and light walking aids increase mobility!



Seating

R82[®]



User height
700–1800 mm



Max. user mass
80 kg



Environment
Indoor & outdoor

Mustang[®]

Mustang is a highly adaptable walking aid for children and youngsters and it can be configured with anterior or posterior support to meet a wide range of walking needs.


The Mustang is available in 4 sizes.

Highlights about Mustang



Motivating the child to walk

The user is placed at the centre of the Mustang which provides core stability and enables the user to focus energy on walking.



Easy to access

The Mustang has been constructed with accessibility in mind. The U-shaped frame and wrap around support, allows for easy access and transfer.



Natural walking pattern

The Mustang has an easy to adjust central bar for height and angle adjustment. A slight forward leaning position, combined with built-in suspension, stimulates the natural walking pattern.



Accessories are easily added or removed for the carers convenience



Standard

Four sizes, directional stabilizer, drag wheel function, tension adjustable wheels, angle adjustment, reverse brake on/off, height adjustment.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Wheels

- 8" solid wheels
- 8" slime line wheels
- 4" wheels for size 1 + 2

Frame colour



Yellow size 1



White size 2



Red size 3



Anthracite
Grey size 4










Standard Mustang size 4



Standard Mustang size 1

Measurements

		1	2	3	4
	Seat height above floor*	260–440 mm	330–500 mm	450–680 mm	620–840 mm
	User height: floor to axil*	400–650 mm	600–850 mm	700–1050 mm	870–1300 mm
	Max. user mass	30 kg	40 kg	60 kg	80 kg
	Length*	820 mm	900 mm	1000 mm	1100 mm
	Overall width	520 mm	580 mm	650 mm	700 mm
	Minimum turning radius	460 mm	550 mm	600 mm	650 mm
	Mass device*	13 kg	14 kg	18 kg	19 kg

Further measurements at our website. *Measured with 8" wheels. The Mustang is measured as standard delivered and with the center bar in vertical position. Different settings may result in another set of measurements.. To accomplish some of the measurements above, a slight adjustment might be required. We supply various types of accessories, which is why the weight is listed without

Nice to know

Mustang is a highly adaptable walking aid, which can be used as a posterior or anterior walker. A recent systematic review was unable to make recommendations for the use of anterior or posterior walkers based on the existing evidence. However, the majority of walking aid user and their parents preferred posterior walkers (Poole 2017).

For children who are “new” walkers, the anterior support makes them feel safe and keep them from hitting objects with the body as they practice their walking skills. The more “experienced” walkers might feel free and more independent and able to get closer to objects with posterior support.




Accessories



Chest support
8698x0



Cover
8698x0-x60



Extension piece
869225



Hand bar
86936x



Abdominal support
869260



Arm rests, anterior
86935x



Arm prompts
8693xx




Forearm positioner
869370



Sacrum support
86925x



Hip support
8692xx



Hip supports on curved bar
869222 or 869232



Connecting rod
869226

For more accessories - visit our website



Seat
8691x0



Comfort seat
869115, 869125



Sling seat
86957x



Leg pad
869470



Guide bar
869510




Storage pouch
869560



Storage bag
869565



Leg separator
8694x0



Ankle prompts
8694xx





Seating

R82



User height
800–1800 mm



Max. user mass
80 kg




Environment
Indoor & outdoor

Crocodile®


The Crocodile is a walking aid for children and young adults to help them into a more upright position. It is placed behind the child and its lightweight design makes it easy to move. The Crocodile is available in 3 sizes.

Highlights about Crocodile




Height adjustable top frame

Easy to adjust the height without using any tools.



Multi-adjustable handles

Positioning the grips close to the body gives better support and a better walking position.



On/off anti-reverse stops

The anti-reverse wheel stops are used for children with less balance and control.



Foldable frame

Makes storage and transporting the Crocodile easy.



Standard

Width and height adjustable handles, lightweight durable aluminium frame - sizes 1 and 2, stable steel and aluminium frame - size 3, upholstery and cover for top frame, solid front and rear wheels, swivel front wheels with directional stabilizer, adjustable drag wheels (rear wheels), on/off anti-reverse wheel stop.

Options

Sizes

- Size 1
- Size 2
- Size 3

Frame colour



Yellow,
Size 1



Orange,
Size 2



Metallic black,
Size 2



Anthracite grey,
Size 3













Crocodile size 1



Crocodile size 3

Measurements

		1	2	3
	Height from floor to handles	420–715 mm	550–840 mm	750–1045 mm
	Max. user height	1150 mm	1500 mm	1800 mm
	Max. user mass	30 kg	45 kg	80 kg
	Length	720 mm	840 mm	870 mm
	Overall width	620 mm	690 mm	690 mm
	Folded length	720 mm	860 mm	1000 mm
	Folded width	620 mm	690 mm	690 mm
	Folded height	310 mm	270 mm	290 mm
	Minimum turning radius	1000 mm	1140 mm	1140 mm
	Mass device	5,5 kg	6,5 kg	12 kg

Further measurements at our website

Nice to know

The Crocodile is our hand-held walking aid, allowing children with moderate impairments in standing and walking the possibility to be mobile.

The accessories can be used to provide the exact support that is necessary for the user to feel safe and independent.



Accessories



Hand brakes
86834/86873



Forearm support
86858/59/60



Forearm positioner
869370



Cross bar
86880



Back and side support
8680x



Hip supports
86819




Strap for side supports
Sn4016



Back support
86816



Back support, adjustable
86886



Flip down seat
8682x, 86863



Sling seat
8682x



Handle knobs
86861

For more accessories - visit our website



Bag
86839



Bag
Size 3, 86843



Anti-tips, swing-away
86815 (1-2), 86815-3S (3)



Attendants handle
86866



Watch River walk in the Crocodile size 1. It is also available in size 2 and 3.



User height
700–1350 mm



Max. load
50 kg



Environment
Indoor only

Pony[®]

The Pony is a gait trainer for children with disabilities. It has a frame shaped like an arrow and a central bar that holds the chest support and the seat. The Pony is available in 3 sizes.

Highlights about Pony



Back support

Allows for height and depth adjustment for positioning the pelvis into a neutral position. Furthermore the back support can be removed for easy access into the walker.



Adjustable forward lean

Adjusts to accommodate optimal walking angle and initiate the stepping process.



Height adjustable seat

Allows for height adjustment to fit the user and provide optimum positioning when walking. The child is not supposed to sit on the saddle.



Brakes on castors

The Pony has brakes on the two front castors. Further, it is equipped with one drag wheel and directional stabilizer for added support.



Standard

3 sizes, 5 wheels (1 rear and 2 front with lock), bumper wheels, black center plate, hand bar, seat and back support, safety strap.

Options

Sizes

- Size 0
- Size 1
- Size 2

Frame colour




Yellow, size 0



Purple, size 1



Lilac, size 2









Standard Pony, purple



Standard Pony, yellow

Measurements

		0	1	2
	Seat height above floor	240–380 mm	380–500 mm	480–640 mm
	Max. load	30 kg	40 kg	50 kg
	Length	670 mm	720 mm	1040 mm
	Overall width	590 mm	690 mm	770 mm
	Overall height	520–690 mm	600–820 mm	680–1040 mm
	Total mass	7 kg	10 kg	13,5 kg

Further measurements at our website

Nice to know

The Pony gait trainer is popular in settings, where multiple users, reuse and less complex walking solutions are warranted.


The simple and solid design of the Pony assist children who are unable to maintain a standing position and walk to be mobile indoor, over shorter distances.



Accessories



Head support system
86424-xx



Helper's handle
86416



Arm rest
8642x



Vertical handles
86432



Back support
8643x



Lateral hip supports
864xx



Leg protection
86450



Directional stabilizer
8644x

For more accessories - visit our website





Toilet and bath, overview

		Flamingo high-low	Flamingo	Heron
Target users	Max. load	70 kg	70 kg	130 kg
	User height	900-1700 mm	900-1700 mm	1400-1800 mm
Features	Seat plane angle	•	•	•
	Back recline	•	•	•
	Height adjustable frame	•	•	•
	Foldable frame	•	•	
	Depth adjustable seat			•
Environment	Indoor (bathroom environment)	•	•	•

		Swan	Manatee	Orca	Penguin
Target users	Max. load	110 kg	75 kg	120 kg*	20 kg
	User height	1000-1800 mm	700-1700 mm	600-1200 mm	620-900 mm
Features	Seat plane angle	•			
	Back recline		•		
	Height adjustable frame	•	•	•	
	Foldable frame		•		
	Depth adjustable seat				•
Environment	Indoor (bathroom environment)	•	•	•	•

*Max. user weight: 50 kg



Toilet & bath

Mobile toilet seats and bath seats provide carers with the best possible working conditions!



Toilet & bath

R82[®]



User height
900–1700 mm



Max. load
70 kg



Environment
Indoor only

Flamingo® High-low

Flamingo High-low is a modern height adjustable toilet and shower seat, allowing carers to perform bathing tasks in a convenient and good working position. The Flamingo High-low is available in 4 sizes.

Highlights about Flamingo High-low




Adaptation of working conditions

Height adjustability eases transition between shower, toilet and sink and provides optimum working conditions for the carer.



Optimum positioning

The Flamingo High-low offers simple tilt-in-space and back recline functions. It is very easy to position the user with knees higher than the hips which has been proven very effective for bowel function.



Easy to use

The Flamingo High-low has easily accessible foot pedals for height adjustment and tilt-in-space. The pedals are equipped with security locks for added safety.



Inlay seat with wider sides for comfort and reduced seat width



Standard

Height adjustable frame, 4 white castors with lock, tilt in space, foot support, recline, stainless steel frame, active back (no sides), 100 % waterproof upholstery for seat and back, splash guard - high model.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Colours



Grey



Blue

Frame colour



White












Flamingo High-low size 1 and 2










Flamingo High-low size 3 and 4

Measurements

Seat		1	2	3	4
	Effective seat width	240 mm	280 mm	320 mm	340 mm
	Effective seat depth	250 mm	290 mm	350 mm	400 mm
	Backrest height	350 mm	380 mm	420 mm	470 mm
	Max. load	35 kg	50 kg	60 kg	70 kg
	Backrest angle	30°	30°	30°	30°
	Length	260 mm	315 mm	360 mm	425 mm
	Overall width	350 mm	380 mm	430 mm	480 mm
	Overall height	400 mm	430 mm	480 mm	510 mm
	Total mass	2,5 kg	3 kg	4 kg	4,5 kg

Further measurements at our website

Frame and Seat		1	2	3	4
	Seat surface height at front edge	530–740 mm	530–740 mm	530–740 mm	530–740 mm
	Max. load	35 kg	50 kg	60 kg	70 kg
	Seat plane angle	–5°–20°	–5°–20°	–5°–20°	–5°–20°
	Length	640 mm	640 mm	760 mm	760 mm
	Overall width	500 mm	500 mm	570 mm	570 mm
	Overall height	860–1080 mm	920–1110 mm	940–1170 mm	1020–1200 mm
	Total mass	14 kg	14,5 kg	16,5 kg	17 kg

Further measurements at our website



Accessories



Head support

990x148-00

*see accessories category



Push brace

880110



Sides w/upholstery

88011x



Side supports

83xxx-xxx

*see accessories category



Swing-away arm rest/tray

88013x



Push handle

880110-HL



Armrests

880152



Commode pan with holders

88012x



Upholstery with wide sides

88016x



Hardware for toilet

mounting
88014x



Vest & belts

89xxx-x40



Neoprene hip belt

85423-x

For more accessories - visit our website



Calf Support
880199



Splash guard, low
880195, 880196



Potty frame
880160-x



Seat infill
88018x



Suction cups
880150



Wheels (100mm)
880100-S



Back reinforcement kit
880155



Back/Rod extension
880118+880119/880120





Toilet & bath

R82[®]



User height
900–1700 mm



Max. load
70 kg



Environment
Indoor only

Flamingo®

The Flamingo is a toilet/bathing chair. It is adjustable in height and can be placed over the toilet or be used with a pan. The Flamingo is available in 4 sizes.

Highlights about Flamingo



Tilt in space and back recline

Tilts and reclines for the child's comfort and positioning.



Accessories can easily be added



Height adjustable frame

Adjusts to fit the height of the carer.



Adjustable foot supports

Adjust to ensure correct positioning and support.



Standard

Height adjustable and foldable frame, 4 white castors with lock, tilt in space, foot support, recline, aluminium frame, active back (no sides), 100 % waterproof upholstery for seat and back, splash guard - high model.

Options

Sizes

- Size 1
- Size 2
- Size 3
- Size 4

Colours



Grey



Blue

Frame colour



White












Standard Flamingo, grey













Standard Flamingo, blue

Measurements

Seat		1	2	3	4
	Effective seat width	240 mm	280 mm	320 mm	340 mm
	Effective seat depth	250 mm	290 mm	350 mm	400 mm
	Backrest height	350 mm	380 mm	420 mm	470 mm
	Max. load	35 kg	50 kg	60 kg	70 kg
	Backrest angle	30°	30°	30°	30°
	Length	260 mm	315 mm	360 mm	425 mm
	Overall width	350 mm	380 mm	430 mm	480 mm
	Overall height	400 mm	430 mm	480 mm	510 mm
	Total mass	2,5 kg	3 kg	4 kg	4,5 kg

Further measurements at our website

Frame and Seat		1	2	3	4
	Seat surface height at front edge	500–600 mm	500–600 mm	500–600 mm	500–600 mm
	Max. Load	35 kg	50 kg	60 kg	70 kg
	Seat plane angle	–15°–35°	–15°–35°	–15°–35°	–15°–35°
	Length	660 mm	660 mm	660 mm	660 mm
	Overall width	440 mm	460 mm	500 mm	540 mm
	Overall height	860 mm	890 mm	930 mm	950 mm
	Folded length	740 mm	740 mm	740 mm	740 mm
	Folded width	440 mm	460 mm	500 mm	540 mm
	Folded height	200 mm	200 mm	200 mm	200 mm
	Total mass	11 kg	13 kg	14 kg	15 kg

Further measurements at our website



Accessories



Head support

990x148-00

*see accessories category



Push brace

880110



Sides w/upholstery

88011x



Side supports

83xxx-xxx/

*see accessories category



Armrests

880152



Swing-away arm rest/tray

88013x



Commode pan with holders

88012x



Potty ring

88012x-PR

Lid for commode pan

8801xx-L



Hardware for toilet

mounting

88014x



Upholstery with wide sides

88016x



Vest & belts

89xxx-x40



Neoprene hip belt

85423-x

For more accessories - visit our website



Calf support
880199



Potty frame
880160-x



Seat infill
88018x



Splash guard, low
880195, 880196



Suction cups
880150



Wheels (100 mm)
880100-S



Back/Rod extension
880118+880119/880120



Back reinforcement kit
880155

Folds for storage or transportation.





Toilet & bath

R82[®]



User height
1400–1800 mm



Max. load
130 kg



Environment
Indoor only

Heron[®]

The Heron is a state of the art toilet and bathing seat. It is available with and without power. The simple design and clean appearance conceal multiple functionality features that improve both the user and carer experience.

Highlights about Heron




Optimum positioning

The Heron is suitable for teenagers. Change the back height and add a couple of simple accessories to change seat width and seat depth – it is easy to make the Heron fit perfectly!



Perfect working conditions

One of the great features of the Heron is the hydraulic or powered height adjustment which allows you to adjust the chair into the correct position.



Pressure mapping has been used in the design of Heron to minimise pressure



Heron is available as a hydraulic (100kg) or power version (130kg)



Standard

4 grey castors with locks, stainless steel frame, height adjustable frame, integrated push handles, built-in tilt in space, built-in recline, active - height adjustable back, potty ring.

Options

Version

- Hydraulics
- Power

Colours



Grey

Frame colour



White














Heron with hydraulic without upholstery (standard)



Heron with power and various accessories

Measurements

		Hydraulics	Power
	Effective seat width	550 mm	550 mm
	Effective seat depth	450 mm	450 mm
	Backrest height	550-620 mm	550-620 mm
	Seat surface height at front edge	510-780 mm	560-780 mm
	Max. load	100 kg	130 kg
	Backrest angle	90° - 120°	90° - 120°
	Seat plane angle	-5° - 25°	-5° - 25°
	Length	710 mm	710 mm
	Overall width	670 mm	670 mm
	Overall height	1080-1350 mm	1130-1350 mm
	Total mass	28 kg	31 kg

Further measurements at our website

Nice to know

The 125 mm grey castors with locks make it easy to manoeuvre the chair and minimises the demand of the caregiver.

Heron is washable at 85 °C in a washing machine designed for medical devices. Remember to remove all accessories, unplug all cables and make sure to dismount the control box, battery and remote control before machine washing.



Accessories



Head support
990xxx-00



Upholstery/Shoulder supports
880507-04/880508-01



Side supports, swing-away
83xxx-xxx



Arm rests/Tray
880508-03/880508-04



Hip supports
880508-09



Commode pan
880130



Upholstery
101204, back/117005, seat



Splash guard
880508-05

Lid for commode pan
880130-L



Splash guard, low
880508-07



Seat depth reduction kit
880508-06



Vests & belts
89xxx-x40



Foot supports, short/long
880506-03/880506-01

For more accessories - visit our website



Foot supports, open knee angle
880506-02



Padding for foot supports
880506-12



Calf support
880509-01



Heel stops
880509-02

'do you like my new hair colour?'





Toilet & bath

R82[®]



User height
1000–1800 mm



Max. load
110 kg



Environment
Indoor only

Swan®

Swan is a simple toilet and bathing chair. The seat is made of a smooth material, which makes it easy to clean. The frame and castors are stainless steel with rust-proofed surfaces. The Swan is available in 6 sizes.

Highlights about Swan



Tilt in space

Tilts 20° for the child's optimum positioning and comfort.



Anatomical shape

The Swan has a carefully designed shape that follows the user's contours for improved stability and comfort.



Holder for pan

For use of pan inside or outside the bathroom.



The stainless steel legs adjust to accommodate most toilets



Standard

For size 2 - 3: 4 height adjustable legs, holder for commode pan, tilt in space, built-in pommel.

For size 4 - 7: 4 height adjustable legs, holder for commode pan, tilt in space, 4 white castors with lock, removable splash guard.

Options

Sizes

- Size 2
- Size 3
- Size 4
- Size 5
- Size 6
- Size 7

Frame and seat colour












White



Swan is available in 6 sizes and two versions. Sizes 2 - 3 include a built-in pommel. Sizes 4 - 7 include a removable splash guard.

Measurements

		2	3	4	5	6	7
	Effective seat width	200 mm	230 mm	250 mm	300 mm	340 mm	410 mm
	Effective seat depth	270 mm	325 mm	325 mm	380 mm	460 mm	460 mm
	Backrest height	380 mm	420 mm	400 mm	480 mm	570 mm	570 mm
	Max. load	30 kg	60 kg	70 kg	80 kg	90 kg	110 kg
	Seat plane angle	18°	18°	27°	22°	20°	20°
	Length*	460 mm	570 mm	570 mm	570 mm	620 mm	620 mm
	Overall width*	490 mm	535 mm	535 mm	535 mm	575 mm	655 mm
	Overall height*	680-840 mm	790-950 mm	710-870 mm	780-940 mm	860-1020 mm	860-1020 mm
	Total mass	8 kg	9,5 kg	8,5 kg	9,5 kg	10,5 kg	11,5 kg

Further measurements at our website. *Measured with wheels

Nice to know

The simple and easy to clean design makes the swan popular in settings, where multiple users, reuse and less complex solutions are warranted. Add the padded upholstery and a head support to increase the comfort of the user.

The Swan allows caregivers of children with difficulties in maintaining the sitting position while toileting and showering the possibility to assist them with basic self-care.



Accessories



Head support
990xxx-00



Push brace
880110



Padded upholstery
8711x



Mesh vest/Cross vest
89xxx-x40



Tray
8703x



Commode pan
8801xx

Lid for commode pan
8801xx-L



Splash guard
880508-05



Castors
87100-20



Rod for foot support
8702x



Footplate
87145-x



Arm rest/tray
870132-SW2, 870133-SW4, 870133-SW5,
870134-SW6

For more accessories - visit our website





Toilet & bath

R82[®]



User height
700–1700 mm



Max. load
75 kg



Environment
Indoor only

Manatee®

The Manatee bathing chair is designed to place the user in exactly the right sitting position. The depth of the seat can be adjusted, allowing the bathing chair to “grow” with the child. The Manatee is available in 4 sizes.

Highlights about Manatee



Head cushion/lateral support

Provides support and comfort for bathing children. Cushions can be used for head or torso support.



Adjustable back and leg rests

Allows adjustments of the back and lower leg supports with a simple pull of a strap or push of a button.



Provides depth adjustment for growth



Adjustable waist strap

Supports the child safely in the Manatee.



Standard

Head/lateral support, belt for waist/hip.

Options

Four sizes

- Size 0
- Size 1
- Size 2
- Size 3

Colours



Blue



Red

Frame colour



Silver












Standard Manatee with Head/lateral support and belt for waist/hip



Manatee folded

Measurements

Seat		0	1	2	3
	Effective seat width	330 mm	330 mm	330 mm	400 mm
	Effective seat depth	220–250 mm	300–370 mm	390–460 mm	400–470 mm
	Backrest height	430 mm	430 mm	580 mm	640 mm
	Max. load	50 kg	50 kg	60 kg	75 kg
	Overall width	420 mm	420 mm	420 mm	490 mm
	Folded length	1030–1100 mm	1100–1170 mm	1360–1430 mm	1440–1510 mm
	Folded width	420 mm	420 mm	420 mm	490 mm
	Folded height	130 mm	130 mm	130 mm	130 mm
	Total mass	5,5 kg	5,5 kg	6 kg	7 kg

Frames		Shower frame	Bath tub frame
	Max. Load	75 kg	75 kg
	Lenght	980 mm	990–1110 mm
	Overall width	590 mm	435 mm
	Overall height*	760-900 mm	270 mm
	Folded length	980 mm	-
	Folded width	590 mm	-
	Folded height	210 mm	-
	Total mass	8 kg	2 kg


*Height measured with chair. Further measurements at our website



Accessories



Torso strap
88302x, 88307x



Pommel
88304x, 88309x



Leg supports
88305x, 88310x



Pads for head/Lateral support
88301x, 88306x



For more accessories - visit our website



Bath tub frame - basic version
882101



Net
88210x



Shower frame - height adjustable
882100



Wall mounting
882110

The Manatee is lightweight and folds flat for storage.





Toilet & bath

R82[®]



User height
600–1200 mm



Max. load
120/20 kg



Environment
Indoor only

Orca | Penguin[®]

The Penguin can be used in the Orca bath tub, but fits ordinary bath tubs as well. With its suction cups, the Penguin sits firmly on most smooth surfaces. Orca and Penguin are available in one size.

Highlights about Orca | Penguin



Excellent working conditions

Free space around the sides makes it easier for a carer to get close to the child providing optimum comfort. Four smooth running wheels makes it easy to move the bath tub around.



Easy to handle

The frame can be taken apart to minimise space for storage or transportation. The smooth and hygienic surface makes it very easy to clean.



Penguin - suction cups

Secures the Penguin in the bath tub.



Freedom of movement



Standard, Orca

One size, height adjustable frame, soap tray, plug, drain pipe.

Standard, Penguin

One size, suction cups.

Frame and seat colour



White



Standard Orca



Standard Penguin








Measurements

Orca

	Bath tub width, inside, bottom	400 mm
	Bath tub length, inside, bottom	860 mm
	Max. load	120 kg*
	Length	1110 mm
	Overall width	550 mm
	Overall height	940–1150 mm
	Total mass	16 kg

*Max user weight: 50 kg

Penguin

	Inside width, tightest place	160 mm
	Inside length	560–720 mm
	Max. load	20 kg
	Length	800 mm
	Overall width	330 mm
	Overall height	260 mm
	Total mass	1.35 kg

Nice to know

Orca makes it possible for caregivers using a seated position, such as a wheelchair user, the opportunity to participate and be at eye level in the bathing situation.

The Orca comes with a plug drain and drain pipe for quicker and easier emptying.



Accessories



Orca



Extension hose
111555



Orca + Penguin seat



Orca + Flamingo seat



"I love a long and relaxing
bubble bath"





Penguin



Soap dish



Plug





Accessories

Accessories are important for obtaining the correct position and to enhance activity and participation!



Head Supports

A wide range of head supports provide a large number of opportunities for individual support. Head supports maintain optimum head position and provide support in resting or active positions.

Highlights about Head support



Seating systems



Wheelchairs



Standing frames



Bathing chairs



Cushion



Head support
no.1 XX=01, no. 2 XX=03, no. 4 xx=06



Head support
no. 3 xx=05



Head support no. 7, flat
XX=13 no. 8, flat, XX=20



Anatomic head support
small XX=23, medium. XX=45, large XX=67



Adjustable head support
Two laterals XX=77



Adjustable head support
with four laterals XX=75



Anatomic head support
with headband X=5



Anatomic head support
no. 1, padded. XX=14



Adjustable head support
w/ (XX=71) or wo./speakers (XX=73)

For more accessories - visit our website

Bar system



Turtle bar system
Short xx=92, long xx=93



Turtle bar system, flat mount
Short xx=90, long xx=91



Swan neck bar system, vertical
Short xx=x1, long xx=x3



Swan neck bar system, horizontal
Short xx=1x, long xx=2x



I-2-I bracket
87590



Stainless bar system
XX=48, XX=47

Head supports with different shapes and features to suit a wide range of needs.



Nice to know

Head Supports are configured with a cushion and a bar system.



Accessories

R82[®]



Side Supports

R82 offers a wide range of side supports for seating aids to meet the needs of the individual user. Swing-away side supports are described here – for fixed side supports please see the specific product sections.

Highlights about side supports



Fittings



Bars



Cushion



Toilet & Bath



Fittings



Fittings

Fittings available in multiple shapes to allow for mounting on each of our products.
83xxx-xxx

Bars



Bars no. 10, 11, 15 and 16

XX=10 (12cm)
XX=11 (16cm)
XX=15 (Stainless 9,5cm)
XX=16 (Stainless 16cm)



Bar no. 25,26 curved 25mm

xx=25 (length: 12cm)
xx=26 (length: 16cm)



Bar no. 45,46 curved 45 mm

XX=45 (length: 12cm)
XX=46 (length: 16cm)



Bar no. 65,66 curved 65 mm

xx=65 (length: 12cm)
xx=66 (length: 16cm)

Cushion




Cushion no. 6 standard

X=6




Cushion no. 1, 2 & 3 curved

X=1, X=2, X=3



Cushion no. 4 standard

X=4



Cushion no. 5 standard

X=5

For more accessories - visit our website

Various



Protection for side supports

black = 89150 grey = 89151



Belt for side support

84120-25 + 84120-40



Snap lock

89102-30, 8910702-30, 8910702-20

Toilet and Bath



PU colours, Toilet and Bath

PU available in black, blue and grey. Fittings and bars in stainless steel.

Nice to know

Swing away side supports are configured by choosing fitting, bar and cushion.





Accessories

R82[®]



Vests and belts

R82 has developed an extensive range of vests and belts to compliment seating systems. They increase comfort, safety, and ensure the correct sitting position.

Highlights about Vests and belts



Positioning of the pelvis



Positioning of the trunk



Positioning of the feet



Positioning of the trunk



Accessories



Shoulder straps
89663-H



Sternum belt
85430-x



Chest belt
85428-x



Neoprene vest
89113-x



Vest
89111-xxx



Cross vest
89625-xxx



5-point belt
89665-x



Belt harness neoprene
89114-x



Belt harness
89112-x



Pelvis harness
89108-x



Y hip belt upholstered
85427-x



Hip belt, upholstered
85424-x

For more accessories - visit our website



Hip belt, Neoprene
85423-x



Belt for transportation
85429-x



Hand wrist cuff
85425-x



Ankle straps
85426-x



Foot straps
85xxx



Neoprene sandals
85696-1

Still at eye level but with
freedom of movement and
secure support.





Accessories

R82[®]



Trays

R82 provide a wide range of trays with different shapes, colours and materials. Trays with edges to keep toys etc. on the plate, while others are made without to provide more freedom of movement.

Highlights about Trays



Trays with edges

Trays with edges can be mounted on different seating systems.



Swing away trays

Option to choose a tray that can swingaway.



Transparent tray



Tray with transparent PC



Accessories



Tray with edge, shape 1
Grey ABS 89220-01/ Transparent PET 89230-01



Tray with edge, shape 2
Wood 89200-2/Grey ABS 89220-2/ PET 89230-2



Tray with edge, shape 3
Grey ABS 89220-3/ Transparent PET 89230-3



Tray with edge, shape 5
Grey ABS, 8910720-1/Single rod 8910725-1



Tray with edge, shape 6
Grey ABS 8910720-2, 8910725-2/ 8910725-5



Tray with edge, shape 7
Grey ABS 8910725-3



Tray with edge, shape 8
Available in grey ABS



Tray without edge, shape 4
Transparent PS 970240-x, 9512x



Tray without edge, shape 5
Transparent PS 970260-1 and 970260-2



Tray without edge, shape 6
Transparent PC 87200x0



Toy bar for tray
8910740




Grip handle for tray
8910750

For more accessories - visit our website



Arm rest for tray
8910730

"It is easier to reach
my toys"





Shapes

Tray combination chart. How to choose the right tray for your product

Product	Sizes	Shape w. edge							Shape w/o edge		
		1	2	3	5	6	7	8	4	5	6
x:panda	1-S	•			•			•			
	1-M	•			•			•			
	1-L	•			•			•			
	2-S	•			•			•			
	2-M	•			•			•			
	2-L	•			•			•			
	3-S					•					
	3-M					•					
	3-L					•					
	4-S					•	•				
	4-M						•				
	4-L						•				
Panda Futura standard	1	•	•					•			
	2	•	•					•			
	2½		•	•				•			
	3			•							
	4			•			•				
Panda Futura active	2	•	•					•			
	2 ½		•	•				•			
	3			•							
	4			•			•				
Panda Futura 5					•	•					
Wombat Living	1	•			•			•	•		
	2				•	•			•		
	3					•	•		•	•	
Wombat Solo	1	•			•			•	•		
	2				•	•			•		
	3					•	•		•	•	
Kudu	1				•			•			
	2	•				•		•			
	3					•			•	•	
	4			•		•	•		•	•	
Cougar	1					•			•	•	
	2					•			•	•	
	3						•		•	•	
	4						•		•	•	
Stingray	1							•			•
	2							•			•
Cricket	1							•			
	2							•			



Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Find us...

R82 A/S
 Parallelvej 3
 8751 Gedved
 Denmark
 Tel +45 79 68 58 88
 Fax +45 75 66 51 92
 R82@R82.com
 R82.org
 Facebook.com/R82global

Etac | R82 Ltd
 Unit D4A
 Coombswood Business Park
 East Coombswood Way, Halesowen
 West Midlands
 B62 8BH
 Great Britain
 Tel +44 (0)121 561 2222
 Fax +44 (0)121 559 5437
 R82uk@R82.com
 R82.co.uk
 facebook.com/R82UK

Etac | R82 GmbH
 Industriestraße 13
 45699 Herten
 Germany
 Tel. +49(0)2366 500 60
 Fax +49(0)2366 500 6282
 r82@etac.de
 R82.de

Etac | R82 Nederland B.V.
 Tinweg 8
 8445 PD Heerenveen
 The Netherlands
 Tel +31 (0)513 68 16 86
 Fax +31 (0)513 68 19 84
 R82nl@R82.com
 R82.nl
 R82.be
 fr.R82.be

Supplier for:
 Rest of the world

Supplier for:
 United Kingdom, Ireland

Supplier for:
 Germany, Luxembourg, Austria,
 Switzerland

Supplier for:
 The Netherlands, Belgium

Convaidd Products, LLC
 2830 California Street
 Torrance, CA 90503
 USA
 Tel 844-US-Mobility (844-876-6245)
 Convaidd-R82.com
 facebook.com/ConvaiddR82Kids

R82 Inc.
 12801 E. Independence Blvd.
 Matthews, NC 28106
 USA
 Tel 844-US-Mobility (844-876-6245)
 Convaidd-R82.com

R82 au Pty Limited
 PO Box 284
 Botany NSW 1455
 Australia
 Tel +61 (02) 8213 6666
 Fax +61 (02) 8213 6655
 R82.com.au
 au.sales@r82.com

Etac | R82 srl
 Via Stalingrado 71/7h
 40128 Bologna
 Italy
 Tel +39 051 2819228
 Fax +39 051 19873816
 Italia.info@r82.com
 www.R82.it

Supplier for:
 USA, Canada

Supplier for:
 USA, Canada

Supplier for:
 Australia

Supplier for:
 Italy





B8910 1.0 | 2020/2021 | Reserving our rights for printer's error or discontinued products.
Please find an updated edition on our website R82.org © 2020 R82 A/S All rights reserved.
The R82 logo and the icons are registered trademarks of R82 A/S

Everyone should be able to live a free and independent life
and pursue their dreams regardless of any physical circumstances



R82 A/S

Parallelvej 3
8751 Gedved
Denmark
Tel +45 79 68 58 88
Fax +45 75 66 51 92
R82@R82.com
R82.org