

Etac Swift Mobile shower commode

A modern shower commode chair available in several models appreciated for its versatility.



The seat is detachable for easy cleaning.

Various models

Etac Swift Mobile is available in three versions. Swift Mobile, Swift Mobile 160 with increased weight capacity and Swift Mobile 24" which is equipped with 24" rear wheels. All have the same characteristic design and functions.

Back support with maximum comfort

The soft back support is adjustable using velcro straps. The material is carefully chosen so it does not stick to the body. It dries quickly and can easily be removed for cleaning. To prevent the back support from sliding, it is fixed at the top to the bow handle.

Choose seat height

The seat height can easily be set, without using tools. Most common is that the height is set to fit over the toilet. But also consider the user's transfer to and from the chair and the care giver's work situation.

Description

Swift Mobile, part assembled	80209400
Swift Mobile, assembled	80209401
Swift Mobile, part assembled w. bucket holder	80209404
Swift Mobile, part assembled w. pan holder	80209405
Swift Mobile, assembled w. pan holder	80209406
Standard: back support, seat, arm supports, foot supports and 4 lockable castors	

Material

Chassis: powder painted steel
Seat/Arm supports: polypropylene
Back support: polyester/Velcro
Foot support: polypropene
Castors: polyamid/TPE, lockable, ball bearing.

Dimensions

Total width: 58 cm (22¾")
Width between arm supports: 48 cm (19")

Weight

16.5 kg (36.6lbs)



Clean the product with a solvent-free cleaning agent (pH level 6-9), or with a 70% disinfectant solution. Can be decontaminated at max. 85°C / 185°F if so required.

Features



Adjustable back support
The back support can be adjusted using velcro straps.



Ergonomic foot supports
The gently curved foot support ensures comfort and stability.




Easy to adjust the height
Swift Mobile can be adjusted to different fixed seat heights. It is easily done from both sides without using tools.



Foldable arm supports
The arm supports are foldable to facilitate side transfer. If needed they can be locked in a folded down position with a locking device (accessory).

Accessories

See our wide range of accessories
"Accessories for all Swift Mobile models"
on page 34



Accessories for all Swift Mobile models



Head Support

80209447

Complete with attachment. Adjustable in height, depth and sideways. Standard on tilt models.

Material: polyurethane, stainless steel and zinc. Cleaning max. 85° C (185°F) or with alcohol wipe.



Comfort Cover

80209455

A soft back support with integrated arm support pads.

Material: polyethylene.

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Arm supports widening kit

Pair: 80209441

Increases the space between the arm supports by 6 cm (2½"). Standard for Swift Mobile/Tilt 160.



Comfort Kit

80209457

Includes both Comfort Seat and Comfort Cover.

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Hemi Arm Support

Pair: 80209035

Fits both left and right side. Material: Cellular polyethylene, aluminium, stainless steel, polystyrene.



Comfort arm pads – pair

80209508

The pads provide a soft support for the arms.

Material: polyethene

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Arm supports lock

Pair: 80209445

Locks the arm supports in down-folded position. Material: Stainless steel.



Side support

80209509

Adjustable in width.

Material: Polyester fabric, Velcro, polyethylene.

Cleaning at max 60°C (140°F)



Soft Back Pad

80209448

Warm, soft and water repellent.

Material: Polyethylene

Cleaning max. 60° C (140°F) or with alcohol wipe



Soft cushion with standard opening

80209065

Material: Polyether/Sealed coated cover



Seat cover

80209434

When a complete seat is required.

Material: Foamed polyurethane.

max. 85° C (185°F) or with alcohol wipe



Soft cushion with oval opening

80209067

Material: Polyether/Sealed coated cover



Soft Comfort seat

Opening width 15 cm (6"): 80209506

Opening width 18 cm (7"): 80209507

Material: Polyurethane

Cleaning at max 85°C (185°F) or with alcohol wipe.



Chest harness strap

80209442

Adjustable in length. Attach to back support. Always use together with positioning belt.

Material: Polyester



Cushion, Protect

80209245

Air-inflated ROHO cushion with excellent pressure distribution properties. Adjustable air pressure. Recess width: 21 cm (8¼").

Material: Neoprene

Cleaning max: 60° C (140 °F)



Cross bar

Length: 60.5 cm (24"): 80303034

Length: 66.5 cm (26"): 80209452

For safety and additional support.

Material: Aluminium, polypropene and cellular polyethylene. Notice: 66.5 cm is for Swift Mobile 160 and Swift Mobile Tilt 160.



Positioning belt
80209440
Adjustable in length. Attachment with velcro straps.
Material: Polyester



Elevating Leg- and calf support
80209437
Fits both left and right side.
Material: ABS



Splash Guard
80209430
Fits into the recess opening. To be placed when user sits in the chair.
Material: Polyurethane



Foot support for leg- and calf support
80209443
Fits both left and right side. Foot support adjustable height in 6 positions.
Material: Stainless steel, polypropylene.



Attachment for pan/bucket holder
Set: 80209435
To be mounted underneath the seat.
Material: Polyamide.



Leg support
1 piece: 80209446
Leg support with foldable and angle adjustable footplate. No heel strap included.



Pan holder
80209257
Fits both Pan and regular hospital pans with a thin rim. Attachment required.
Material: Polyamide.



Heel straps
Pair: 80209432
Adjustable in length.
Material: Polyester



Pan
80209254



Anti tippers, pair
Excluding attachment for Swift Mobile 24": 80209438
Including attachment (for Swift Mobile): 80209439
(for Swift Mobile Tilt): 80209459
Increases safety if the center of gravity is far back, e.g. leg amputations.
Material: Aluminium



Bed pan
82001001
Polyamide, able to withstand boiling.
Fits the Pan holder.



Tilter
80209449
For easy transfer over thresholds and other obstacles



Bucket holder
80209258
Fits bucket with a thick rim. Attachment required.
Material: Polypropene



Rear wheel kit
80209436
24" rear wheels with solid tires. With built in attachment for anti tip.
Material: Polyamide, stainless steel.
Incl. attachment and brakes. Do not fit Swift Mobile 160 or Swift Mobile Tilt.



Bucket with handle and lid
80302026
Material: Polypropylene



Attachment for low mounting of pan/bucket
80209259
Fitted to the pan/bucket holder.
Material: Polypropene



Amputee leg support
80209510
Adjustable height, length and angle. Fits both left and right side.