

Etac Swift Mobile Tilt XL 160

Swift Mobile Tilt XL 160 has all the benefits of Swift Mobile Tilt and is in addition sturdy enough to handle a weight of 160 kg (353 lbs).

Tilting operated from the side

Swift Mobile Tilt has the unique function which enables tilt manoeuvring from the side. This gives the best conditions for an ergonomically correct work position. It also enables eye contact and communication with the care recipient during the tilting process.


Assisted restoring to an upright position

The gas pistons work to facilitate bringing the seat into an upright position. When tilting, the user's body weight will act as counterweight and make the movement smooth. This reduces the risk of carers suffering work related injuries. The seat height can be set in various fixed positions and it's done without using tools.



More space

Swift Mobile 160 has 6 cm (2½") additional space between the arm supports.



Description

Swift Mobile Tilt 160	80209480
Swift Mobile Tilt 160 with bucket holder	80209481
Swift Mobile Tilt 160 with pan holder	80209482

Standard: head support, back support, arm supports, seat, foot supports, heels traps, and 4 lockable castors.

Dimensions

Total width: 63 cm (24¾")
 Total length: 104 cm (41")
 Adjustable tilt in space: 0° to -35° can be set to +5° to -30°
 Adjustable seat height: 50–65 cm (19¾–25¾")
 Width between arm supports Swift Mobile Tilt 160: 54 cm (21¼")

Material

Gas pistons: lift capacity 130N
 Other material: see page 26

Weight


20.4 kg (45 lbs)



Clean the product with a solvent-free cleaning agent (pH level 6–9), or with a 70% disinfectant solution. Can be decontaminated at max. 85°C / 185°F if so required.




Accessories for all Swift Mobile models



Head Support

80209447

Complete with attachment. Adjustable in height, depth and sideways. Standard on tilt models.
Material: polyurethane, stainless steel and zinc. Cleaning max. 85° C (185°F) or with alcohol wipe.



Comfort Cover

80209455

A soft back support with integrated arm support pads.

Material: polyethylene.

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Arm supports widening kit

Pair: 80209441

Increases the space between the arm supports by 6 cm (2½"). Standard for Swift Mobile/Tilt 160.



Comfort Kit

80209457

Includes both Comfort Seat and Comfort Cover.

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Hemi Arm Support

Pair: 80209035

Fits both left and right side. Material: Cellular polyethylene, aluminium, stainless steel, polystyrene.



Comfort arm pads – pair

80209508

The pads provide a soft support for the arms.

Material: polyethene

Cleaning max. 60° C (140 °F) or with alcohol wipe.



Arm supports lock

Pair: 80209445

Locks the arm supports in down-folded position. Material: Stainless steel.



Side support

80209509

Adjustable in width.

Material: Polyester fabric, Velcro, polyethylene.

Cleaning at max 60°C (140°F)



Soft Back Pad

80209448

Warm, soft and water repellent.

Material: Polyethylene

Cleaning max. 60° C (140°F) or with alcohol wipe



Soft cushion with standard opening

80209065

Material: Polyether/Sealed coated cover



Seat cover

80209434

When a complete seat is required.

Material: Foamed polyurethane.

max. 85° C (185°F) or with alcohol wipe



Soft cushion with oval opening

80209067

Material: Polyether/Sealed coated cover



Soft Comfort seat

Opening width 15 cm (6"): 80209506

Opening width 18 cm (7"): 80209507

Material: Polyurethane

Cleaning at max 85°C (185°F) or with alcohol wipe.



Chest harness strap

80209442

Adjustable in length. Attach to back support. Always use together with positioning belt.

Material: Polyester



Cushion, Protect

80209245

Air-inflated ROHO cushion with excellent pressure distribution properties. Adjustable air pressure. Recess width: 21 cm (8¼").

Material: Neoprene

Cleaning max: 60° C (140 °F)



Cross bar

Length: 60.5 cm (24"): 80303034

Length: 66.5 cm (26"): 80209452

For safety and additional support.

Material: Aluminium, polypropene and cellular polyethylene. Notice: 66.5 cm is for Swift Mobile 160 and Swift Mobile Tilt 160.



Positioning belt

80209440

Adjustable in length. Attachment with velcro straps.

Material: Polyester




Elevating Leg- and calf support

80209437

Fits both left and right side.

Material: ABS



Splash Guard

80209430

Fits into the recess opening. To be placed when user sits in the chair.

Material: Polyurethane



Foot support for leg- and calf support

80209443

Fits both left and right side. Foot support adjustable height in 6 positions.

Material: Stainless steel, polypropylene.



Attachment for pan/bucket holder

Set: 80209435

To be mounted underneath the seat.

Material: Polyamide.



Leg support

1 piece: 80209446

Leg support with foldable and angle adjustable footplate. No heel strap included.



Pan holder

80209257

Fits both Pan and regular hospital pans with a thin rim. Attachment required.

Material: Polyamide.



Heel straps

Pair: 80209432

Adjustable in length.

Material: Polyester



Pan

80209254

Pan, incl lid with handle

80209255

Lid with handle: 80209256

Material: Polypropylene.



Anti tippers, pair

Excluding attachment for Swift Mobile 24": 80209438

Including attachment

(for Swift Mobile): 80209439

(for Swift Mobile Tilt): 80209459

Increases safety if the center of gravity is far back, e.g. leg amputations.

Material: Aluminium



Bed pan

82001001

Polyamide, able to withstand boiling.

Fits the Pan holder.



Tilter

80209449

For easy transfer over thresholds and other obstacles



Bucket holder

80209258

Fits bucket with a thick rim. Attachment required.

Material: Polypropene



Rear wheel kit

80209436

24" rear wheels with solid tires. With built in attachment for anti tip.

Material: Polyamide, stainless steel.

Incl. attachment and brakes. Do not fit Swift Mobile 160 or Swift Mobile Tilt.



Bucket with handle and lid

80302026

Material: Polypropylene



Attachment for low mounting of pan/bucket

80209259

Fitted to the pan/bucket holder.

Material: Polypropene



Power tilt unit

80209499

For Swift Mobile Tilt and Swift Mobile Tilt 160 only. Hand control and charger are included.



Amputee leg support

80209510

Adjustable height, length and angle. Fits both left and right side.